

HELCOM Red List Assessment/Breeding birds: List of taxa (species and subspecies) which have been included in the Red List assessment of breeding birds and their occurrence in the Baltic Sea states (excluding the North Sea coast of Denmark and Schleswig-Holstein)

No	Species	Red List Category	Range										
			SE	FI	RU/ PET	RU/ KAL	EST	LV	LT	PL	DE/ MV	DE/ SH	DK
1	<i>Podiceps auritus</i> (Linnaeus, 1758)	VU	X	X	X	-	X	X	X	(0)	-	(X)	(X)
2	<i>Podiceps cristatus</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
3	<i>Phalacrocorax carbo sinensis</i> (Blumenbach, 1798)	LC	X	X	X	X	X	X	X	X	X	X	X
4	<i>Cygnus olor</i> (J.F. Gmelin, 1789)	LC	X	X	X	X	X	X	X	X	X	X	X
5	<i>Anser anser</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
6	<i>Branta leucopsis</i> (Bechstein, 1803)	LC	X	X	X	-	X	-	-	-	-	X	X
7	<i>Tadorna tadorna</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
8	<i>Anas strepera</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
9	<i>Anas platyrhynchos</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
10	<i>Anas clypeata</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
11	<i>Aythya fuligula</i> (Linnaeus, 1758)	NT	X	X	X	X	X	X	X	X	X	X	X
12	<i>Aythya marila</i> (Linnaeus, 1761)	VU ¹	X	X	X	-	X	-	(X)	(X)	-	(X)	(X)
13	<i>Somateria mollissima</i> (Linnaeus, 1758)	VU	X	X	X	-	X	-	-	(0)	X	X	X
14	<i>Melanitta fusca</i> (Linnaeus, 1758)	VU	X	X	X	-	X	-	-	-	-	-	-
15	<i>Bucephala clangula</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
16	<i>Mergus albellus</i> (Linnaeus, 1758)	LC	X	X	(0)	-	-	-	-	-	-	-	-
17	<i>Mergus serrator</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
18	<i>Mergus merganser</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
19	<i>Haliaeetus albicilla</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
20	<i>Pandion haliaetus</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	0	X
21	<i>Haematopus ostralegus</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
22	<i>Recurvirostra avosetta</i> (Linnaeus, 1758)	LC	X	-	-	X	X	-	X	X	X	X	X

49	<i>Sterna sandvicensis</i> (Latham, 1787)	LC	X	-	-	-	X	-	-	X	X	0(X)	X
50	<i>Uria aalge</i> (Pontoppidan, 1763)	LC	X	X	(X) ⁴	-	-	-	-	-	-	-	X
51	<i>Alca torda</i> (Linnaeus, 1758)	LC	X	X	X	-	X	-	-	-	-	-	X
52	<i>Cephus grylle</i> (Linnaeus, 1758)	NT	X	X	X	-	X	-	-	-	-	-	X
53	<i>Riparia riparia</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
54	<i>Anthus petrosus</i> (Montagu, 1798)	LC	X	X	-	-	X	-	-	-	-	-	X
55	<i>Anthus pratensis</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
56	<i>Motacilla alba</i> (Linnaeus, 1758)	LC	X	X	X	X	X	X	X	X	X	X	X
57	<i>Oenanthe oenanthe</i> (Linnaeus, 1758)	NT	X	X	X	X	X	X	X	X	X	X	X

Symbols

X	breeding
(X)	sporadic breeding (only occasional breeding records)
0	extinct (breeding in the past, but no actual breeding records)
(0)	sporadic breeder in the past, no breeding records during the last 3 generations or 10 years
0(X)	extinct as a regular breeder, but sporadic breeding records during the last 3 generations or 10 years
-	no breeding bird

¹ The category *Vulnerable* applies to the total population of the Baltic Sea riparian states. Considering only the coastal population Bay, the species would classify for *Endangered*.

² The category *Near Threatened* applies to the total population of the Baltic Sea riparian states. Considering only the coastal population of the Bothnian Bay, the species would classify for *Vulnerable*.

³ The category *Vulnerable* applies to the total population of the Baltic Sea riparian states and is determined by the trends of the northern (tundra) population (SE, FI, RU/PET). In the southern parts of the Baltic Sea area (south of 60° Lat.), the species would classify for *Endangered*.

⁴ First breeding in 2010, Vysotsky *et al.* 2010.