HELCOM Monitoring Programme topic Hydrography

Programme:

Ice

Contents

a.	Metadata on monitoring strategies and monitoring programmes	2
	a.1 Responsible HELCOM subsidiary body	2
	a.2 Regional Cooperation	3
b.	Monitoring strategies	3
	b.1 Descriptor	3
	b.2 BSAP segments	4
	b.3 Monitoring strategy description	4
	b.4 BSAP Ecological objectives	4
	b.5 MSFD Criteria (Criteria)	. 16
	b.6 Gaps in monitoring	5
c.	Monitoring programmes	5
	c.1 Purpose of monitoring	5
	c.2 Other legislation	9
	c.3 Implementation of Regional Cooperation	. 10
	c.4 Monitoring concepts	. 11
	c.5 Monitoring and assessment requirements	. 13
	c.6 Data providers and access	. 14
٦	References	22

a. Metadata on monitoring strategies and monitoring programmes

a.1 Responsible HELCOM subsidiary body

Please indicate the relevant expert group/network if available, otherwise the responsible HELCOM Working Group.

	Permament Groups
	Gear – Group on the Implementation of the Ecosystem Approach
	Maritime – Maritime Working Group
	Pressure – Working Group on Reduction of Pressures from the Baltic Sea Catchment Area
	Response – Response Working Group
\boxtimes	State and Conservation – Working Group on the State of the Environmental and Natgure Conservation
	Time-limited Groups
	Agri – Group on Sustainable Agricultural Practices
	Fish – Group on Ecosystem-based Sustainable Fisheries
	HELCOM-VASAB MSP WG - Joint HELCOM-VASAB Maritime Spatial Planning Working Group
	Expert Groups
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response EWG SHORE – Expert Working Group on Response on the Shore

	IN-EUTROPHICATION - Intersessional Network on Eutrophication					
	IWGAS – Informal Working Group on Aerial Surveillance					
	JWG Bird – HELCOM-OSPAR-ICES Joint Working Group on Seabirds					
	MORS EG – Expert group on monitoring of radioactive substances in the Baltic Sea					
	PRF Cooperation Platform – Cooperation Platform on Port Reception Facilities in the Baltic Sea					
	SAFE NAV – Group of Experts on Safety of Navigation					
	SUBMERGED – Expert Group on Environmental Risks of Hazardous Submerged Objects					
	al Cooperation (RegionalCooperation)					
The monitoring o	f this programme is:					
☐ Fully coore	dinated					
⊠ Partly coo	rdinated. Indicate missing component(s):					
\Box Coordinated monitoring is under development. Indicate by which group/project and by when a recommendation on coordinated monitoring can be expected.						
The monitoring	of this sub-programme is partly coordinated.					
See Internation Baltic Sea Ice Se	al Ice Chart Working Group (IICWG), UN Expert Team on Sea Ice (ETSI) and ervice.					
Common monit	oring guidelines: monitoring of the whole Balc Sea using satellite observations.					
Common qualit tools.	y assurance programme: missing. Every country has its own quality assurance					
Common datab	ase: missing. Every country has its own database.					
b. Monito	oring strategies					
the state of the s	b.1 Descriptor The programme supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant boxes.					
⊠ D1	Biodiversity					
□ D2	Non-indigenous Species					
□ D3	Commercial fish and shellfish					
□ D 4	Food webs					

□ D 5	Eutrophication
□ D 6	Seafloor integrity
⊠ D7	Hydrographical conditions
□ D8	Contaminants
□ D 9	Contaminants in seafood
□ D10	Marine litter
□ D11	Energy including underwater noise
b.2 BSAP s The sub-program	segments nme serves the following BSAP segments. Tick one or more relevant boxes.
□Eutrophicatio	on
☐ Hazardous sı	ubstances
⊠Biodiversity	
⊠Maritime act	ivities
b.3 Monito	oring strategy description
comprehensive	on. Maximum extent of sea ice in the Baltic should be monitored with Baltic wide earth observations (Synthetic-aperture radar, SAR) during winter season. Temporal bservations should be at least once a week. Spatial coverage should be the whole
	ss in the Baltic Sea should be monitored with earth observation data combined with ements of ice thickness.
	Ecological objectives most relevant option(s). Tick one or more boxes below.
Eutrophicatio	n Concentrations of nutrients close to natural levels
	☐ Clear water

	☐ Healthy wildlife						
	☐ Radioactivity a	t pre-Chernobyl levels					
Biodiversity	☑ Natural landsc	apes and seascapes					
	oxtimes Thriving and b	alanced communities of plants a	and animals				
	⊠ Viable populat	ions of species					
Maritime activities	☐ No illegal pollu	ition					
activities	☐ Safe maritime traffic without accidental pollution						
	\square Efficient respo	☐ Efficient response capability					
	\square No introductio	ns of alien species from ships					
	\square Minimum air p	oollution from ships					
	☐ Zero discharge	s from offshore platforms					
In relation to the			nitoring was in place or by when				
\square Adequate mor	itoring was in place	in 2014					
⊠ Adequate mor	itoring was in place	by 2018					
\square Adequate mon	itoring is in place by	July 2020					
☐ Adequate mon	itoring will be in plac	ce by 2024					
☐ Monitoring is r	ot being put in place	e for this descriptor due to a low	v risk				
☐ Monitoring for	this descriptor is no	t relevant					
Description of the		ps and plans to complete the es	stablishment and implementation of				
•	onitoring strategy (G	aps_Plans):	, , , , , , , , , , , , , , , , , , ,				
this descriptor mo		<u> </u>	<u> </u>				
this descriptor modern there are no garesolution. c. Monito c.1 Purpose c.1a Asse	ps, the monitoring oring progra e of monitor essment purpose in upports the assessm	covers the whole Baltic Sea	·				
this descriptor modern the resolution. There are no garesolution. C. Monito C.1 Purpos C.1a Asset The programme s	ps, the monitoring oring progra e of monitor essment purpose in upports the assessm	covers the whole Baltic Sea	with sufficient spatial and tempora				

Note that the answer to this question will be decisive for whether to answer upcoming questions e.g. upcoming questions on pressures should only be answered if the monitoring is defined as supporting the assessment of pressures.

Tick the relevant boxes.

Environmental state and impacts	Pressures in the marine environment	Pressures at source (land-based, riverine, sea-based ¹ and atmospheric sources)	Human activities causing the pressures	Effectiveness of measures
If this is selected fill in the following questions: c.1b	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d

Give any other monitoring purpose e.g. if the programmes include supporting parameters for other monitoring programmes

Provides input for status assessments of some species (eg seals) and climate change impact assessments.

For questions 1b-1d, select when applicable for the sub-programme, the link from the Reporting on the 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020) (Features) to:

- Ecosystem components (relevant for monitoring and assessment for Article 8(1a) for D1C2-C5, D3, D4, D6C3-C5, D7C2)
- Pressures and impacts in the marine environment (relevant for monitoring and assessment for Article 8(1b) for D1C1, D2, D5, D6C1-C2, D7C1, D8, D9, D10, D11)
- Pressure inputs to the marine environment (relevant for monitoring and assessment for Article 10)
- Uses and human activities (relevant for monitoring and assessment for Article 8(1c) and 13)

c.1b • Ecosystem components (Features)

Choose only the most relevant option(s). Tick one or more boxes below.

Theme	Sub-theme	Label feature
Species	☐ Birds	☐ Grazing birds
		☐ Wading birds
		☐ Surface-feeding birds
		☐ Pelagic-feeding birds
		☐ Benthic-feeding birds

¹ Sea-based 'Pressures at source' refers to monitoring pressures from sea-based activities where the monitoring is directly at the activity rather than at a distance from or time period after it is generated by the activity (e.g. D1 incidental by-catch when fishing, D2 ballast water discharges, D6 use of bottom fishing gear, D8 contaminant discharges and pollution events from a vessel or pipeline, D11 impulsive sound events from a vessel or platform).

		\square Small toothed cetaceans					
		\square Deep-diving toothed cetaceans					
		☐ Baleen whales					
		⊠ Seals					
	☐ Reptiles	☐ Turtles					
	☐ Fish	☐ Coastal fish					
		☐ Pelagic shelf fish					
		\square Demersal shelf fish					
		\square Deep-sea fish					
		\square Commercially exploited fish and shellfish					
	\square Cephalopods	\square Coastal/shelf cephalopods					
		☐ Deep-sea cephalopods					
Habitats	\square Benthic habitats	\square Benthic broad habitats					
		\square Other benthic habitats					
	□ Pelagic habitats	☐ Pelagic broad habitats					
		\square Other pelagic habitats					
Ecosystems	☑ Physical and hydrological characteristics						
	☐ Chemical characteristics						
	☐ Ecosystems, including	☐ Coastal ecosystems					
	food webs	☐ Shelf ecosystems					
		☐ Oceanic/deep-sea ecosystems					
	Pressures and impacts in the most relevant option(s). Tie	the marine environment (Features) ck one or more boxes below.					
Theme	Label: Feature						
Biological	☐ Newly introduced nor	ı-indigenous species					
	☐ Established non-indigenous species						
	\square Species affected by in	cidental by-catch					
Physical and	☐ Hydrographical changes						
hydrological	☐ Physical disturbance to seabed						
	☐ Physical loss of the seabed						
Substances,	☐ Eutrophication						
litter and	☐ Contaminants - non U	PBT substances					
energy	☐ Contaminants - UPBT	substances					

	☐ Contaminants – in seafood					
	☑ Adverse effects on species or habitats					
	☐ Acute pollution events					
	☐ Litter in the environment					
	☐ Impulsive sound in water					
	☐ Continuous low frequency sound					
c.1d • Pr	essure inputs to the marine environment (Features)					
Theme	Label: Feature					
Biological	☐ Input or spread of non-indigenous species					
	☐ Input of microbial pathogens					
	☐ Input of genetically modified species and translocation of native species					
	☐ Loss of, or change to, natural biological communities due to cultivation of animal or plant species					
	$\hfill\Box$ Disturbance of species (e.g. where they breed, rest and feed) due to human presence					
	\Box Extraction of, or mortality/injury to, wild species (by commercial and recreational fishing and other activities)					
Substances,	\Box Input of nutrients — diffuse sources, point sources, atmospheric deposition					
litter and energy	\square Input of organic matter — diffuse sources and point sources					
GG. 8)	\Box Input of other substances (e.g. synthetic substances, non-synthetic substances, radionuclides) — diffuse sources, point sources, atmospheric deposition, acute events					
	☐ Input of litter (solid waste matter, including micro-sized litter)					
	☐ Input of anthropogenic sound (impulsive, continuous)					
	\Box Input of other forms of energy (including electromagnetic fields, light and heat)					
	☐ Input of water — point sources (e.g. brine)					
	es and human activities (Features)					
	nost relevant option(s). Tick one or more boxes below.					
Theme	Label: Feature					
Physical restructuring of	☐ Land claim					
rivers, coastline	☐ Canalisation and other watercourse modifications					
or seabed (wate	Coastal defence and flood protection					

management)	☐ Offshore structures (other than for oil/gas/renewables)					
	☐ Restructuring of seabed morphology, including dredging and depositing of materials					
Extraction of	☐ Extraction of minerals (rock, metal ores, gravel, sand, shell)					
non-living resources	☐ Extraction of oil and gas, including infrastructure					
resources	☐ Extraction of salt					
	☐ Extraction of water					
Production of energy	☐ Renewable energy generation (wind, wave and tidal power), including infrastructure					
	☐ Non-renewable energy generation					
	☐ Transmission of electricity and communications (cables)					
Extraction of	☐ Fish and shellfish harvesting (professional, recreational)					
living resources	☐ Fish and shellfish processing					
	☐ Marine plant harvesting					
	☐ Hunting and collecting for other purposes					
Cultivation of	☐ Aquaculture — marine, including infrastructure					
living resources	☐ Aquaculture — freshwater					
	☐ Agriculture					
	□ Forestry					
Transport	☐ Transport infrastructure					
	☐ Transport — shipping					
	☐ Transport — air					
	☐ Transport — land					
Urban and	☐ Urban uses					
industrial uses	☐ Industrial uses					
	☐ Waste treatment and disposal					
Tourism and	☐ Tourism and leisure infrastructure					
leisure	☐ Tourism and leisure activities					
Security/defence	☐ Military operations (subject to Article 2(2))					
Education and research	☐ Research, survey and educational activities					

c.2 Other legislationThe sub-programme links with the following other international legislation (OtherPoliciesConventions). Tick one or more relevant boxes.

☐ Bathing Water Directive
☐ Common Fisheries Policy and Data Collection Framework
☐ Habitats Directive
☐ Birds Directive
□ Nitrates Directive
☐ Urban Waste Water Treatment Directive
☐ Water Framework Directive
□ OSPAR Convention
☐Trilateral Wadden Sea Convention
□Other, Specify:
a 2 Implementation of Degional Cooperation
c.3 Implementation of Regional Cooperation
(RegionalCooperation_implementation)
(RegionalCooperation_implementation)
(RegionalCooperation_implementation)
(RegionalCooperation_implementation) Indicate the level of implementation by selecting one of the following:
(RegionalCooperation_implementation) Indicate the level of implementation by selecting one of the following: □Agreed data collection methods
(RegionalCooperation_implementation) Indicate the level of implementation by selecting one of the following: □ Agreed data collection methods □ Common monitoring strategy (spatial and temporal design of programme)

c.4 Monitoring concepts

Monitoring concepts table²:

Current means of coordination	Features or elements Elements (Features) (Features_enum)	Parameter Parameters (Parameter)	Method MonitoringMetho d (Monitoring	QA/QC (Free text)	Frequency ³ MonitoringFrequency	Spatial resolution (density) of sampling (ProgrammeDescription)	Link to HELCOM core indicators ⁴ (RelatedIndicator) (RelatedIndicator_n	Spatial scope (SpatialScope)	Monitoring started (year)	CPs monitoring ⁵ (CountryCode_E num)
		(ParametersOth er)	Method) MonitoringMetho dOther)				ame			
Other	CharaPhyHydro (Physical and hydrological characteristics)	OTH: Extent of ice cover	See below		Daily	100 m / 250 m - 1 km		EEZ, Whole Baltic	Systematic observations: late 1800's First near real time ice charts: 1915	FI, SE (other CPs in their national waters)
Other	CharaPhyHydro (Physical and hydrological characteristics)	OTH: Thickness of ice cover	See below		Daily	100 m / 250 m - 1 km		EEZ, Whole Baltic	1915	FI, SE (other CPs in their national waters)

-

² Needed codelists can be found on 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020).

³ The option "Different for each country - see MORE overview" refers to the <u>overview</u> carried out in 2013

⁴ Give the name of HELCOM core indicators that are based on the monitoring parameter.

⁵ Provide information on the Contracting Partie(s) that are monitoring the parameter.

PARAMETER

Extent of ice cover

Ice thickness

METHOD (Monitoring Details)

Extent of ice cover, Ice thickness

Extent of ice cover / Ice thickness is measured using satellite observations. The whole Baltic is monitored by Finland (FMI) and Sweden (SMHI). The rest of Contracting Parties monitor national waters. (EE: combining satellite images and in situ monitoring data from hydrological stations).

Synthec-aperture radar (SAR) satellite image is used. The algorithm, which combines SAR data and ground truth, provides ice thickness information in 500 m resoluon. The products are provided operationally and are available for users shortly after the SAR data is available.

QA/QC

Extent of ice cover, Ice thickness

It follows nationally accredited methods and results are compared internationally.

FREQUENCY

Frequency

Extent of ice cover

Extent of ice cover maps operationally produced every me a SAR image has been received.

Ice thickness

Ice Thickness Charts are operationally produced every me a SAR image has been received, using the latest available ice chart as an input.

SPATIAL SCOPE

Spatial Scope

Extent of ice cover, Ice thickness

Whole Baltic Sea.

SPATIAL RESOLUTION (DENSITY) OF SAMPLING

Spatial resolution

Extent of ice cover, Ice thickness

Adequate capacity to perform

assessments?

The algorithm, which combines SAR data and ground truth, provides ice coverage information in 500 m resolution.

Provide considerations for the scal one or more relevant boxes below:		tion of data for an indicator-based assessment Tick
☐HELCOM assessment unit Level 4: S	ubbasins with	coastal WFD division
☐HELCOM assessment unit Level 3: S	ubbasins with	coastal and offshore division
☐HELCOM assessment unit Level 2: S	ubbasin	
⊠HELCOM assessment unit Level 1: B	altic Sea	
☐MSFD Region		
□EU		
⊠Other (specify) national		
□Unknown		
c.5 Monitoring and asse	essment	requirements
Monitoring requirements:		
Maximum extent of sea ice in the B observations (Synthetic-aperture	Baltic should radar, SAR	the HELCOM Environment fact sheet Ice Season. be monitored with Baltic wide comprehensive earth during winter season. Temporal frequency of Spatial coverage should be the whole Baltic Sea and
Sea ice thickness in the Baltic Sea sin-situ measurements of ice thickness		onitored with earth observation data combined with
Adequacy for assessment of GES:		
		information to enable the periodic assessment of ess towards GES as required by MSFD under Article 9 and
	Yes	No
Adequate data?	\boxtimes	
Established methods for assessment?	\boxtimes	
Adequate understanding of GES?		
Adequate capacity to perform	\boxtimes	

Assessment of natural variability	
Long time-series.	
c.6 Data providers and access From which database the data can be made available? Tick the relevant boxes below:	
☐ HELCOM ☐ HELCOM PLC ☐ HELCOM MORS COMBINE	
⊠Other: CMEMS, BSIS (<u>http://www.bsis-ice.de/</u>)	
If the previous answer is "Other" please fill in the next questions (In case the answer is a HELCOM database, the HELCOM Secretariat will do it)	
Data type Tick the relevant boxes below:	
□Unprocessed/raw Data	
⊠ Processed Data sets	
⊠ Data Products	
⊠ Modelled data	
Data management: General description of data management (DataManagement, Free text)	
Data: SAR-Based Ice Thickness Charts and Ice Condions from FMI / SMHI.	
Aggregated data products: annual HELCOM environment fact sheet and MyOcean catalogue, Baltic Sea Ice Service.	
·	
What method/mechanism will be used to make the data available? Tick the relevant boxes below and provide location (DataAccess):	
☐ Providing URL to view data:	
☐ Providing URL to download data:	
\square Provide location of data in national data centre: Click here to enter text.	
\boxtimes Provide location of data in international data centre (e.g. RSC, ICES, EEA, EMODnet): http://www.bsisice.de/; https://marine.copernicus.eu/	
When will the data first become available? (DataPublicationDate)	
Enter the date of reporting, or even a past date if desired (MM/YYYY):	

How frequently are the o	data expected to be updated thereafter? Tick the relevant box below:	
□Every 6 years	⊠Weekly	
☐ Every 3 years	□Daily	
☐ Every 2 years	□Hourly	
⊠Yearly	☐ Continually	
\Box 6-monthly	□One-off	
\square 3-monthly	☐As needed	
\square Monthly	□Other (specify)	
\square 2-weekly	□Unknown	
List providing contact po	ints in the Contracting Parties	
EE: Estonian Environme	ent Agency (Estonian Weather Service)	
Has the data been used o	or is it planned to be used in HELCOM assessments? Tick the relevant box below:	
□Yes ⊠No		
2.03		
Select if data is used in the following Baltic Sea Environment Fact Sheets (BSEF) Tick the relevant boxes below:		
Biodiversity		
☐ Abundance and distribution of marenzelleria species		
☐ Abundance and distribution of the Zebra mussel		
☐Biopollution level index	x	
☐Observed non-indigend	ous and cryptogenic species in the Baltic Sea	
☐ Population development of Great Cormorant		
☐ Population development of Sandwich Tern		
☐ Population development of Southern Dunlin		
☐ Population Development of White-tailed Sea Eagle		
☐Temporal development of Baltic coastal fish communities and key species		
Eutrophication		

☐ Bacterioplankton growth
☐ Chlorophyll-a concentrations, temporal variations and regional differences from satellite remote sensing
□Cyanobacteria biomass
☐Cyanobacterial blooms in the Baltic Sea
□Cyanobacteria bloom index
\square Impacts of invasive phytoplankton species on the Baltic Sea ecosystem in 1980-2008
□Nitrogen atmospheric deposition to the Baltic Sea
□ Nitrogen emissions to the air in the Baltic Sea area
☐ Phytoplankton biomass and species succession
\square Shifts in the Baltic Sea summer phytoplankton communities in 1992-2006
\square Spatial distribution of the winter nutrient pool
☐Unusual phytoplankton event
Hazardous substances
☐ Atmospheric deposition of heavy metals on the Baltic Sea
☐ Atmospheric deposition of PCDD/Fs on the Baltic Sea
\square Atmospheric emissions of heavy metals in the Baltic Sea region
☐ Atmospheric emissions of PCDD/Fs in the Baltic Sea region
☐ Cesium-137 in Baltic Sea sediments
\Box Temporal trends in contaminants in Herring in the Baltic Sea in the period 1980-2010
☐ Emissions from Baltic Sea shipping
□ Illegal discharges of oil in the Baltic Sea
\square Liquid discharges of Cs-137, Sr-90 and Co-60 into the Baltic Sea
☐ Trace metal concentrations and trends in Baltic surface and deep waters
Hydrography
☐ Development of Sea Surface Temperature in the Baltic Sea
☐ Hydrography and Oxygen in the Deep Basins
⊠Ice season
☐Total and regional runoff to the Baltic Sea
\square Water Exchange between the Baltic Sea and the North Sea, and conditions in the Deep Basins
☐ Wave climate in the Baltic Sea
c.7 MSFD Criteria (GES criteria) Choose only the most relevant option(s). Tick one or more boxes below.

Descriptor 1	□ D1C1 – Primary:
	The mortality rate per species from incidental by-catch is below levels which threaten the species, such that its long- term viability is ensured.
	Member States shall establish the threshold values for the mortality rate from incidental by-catch per species, through regional or subregional cooperation.
	□ D1C2 – Primary:
	The population abundance of the species is not adversely affected due to anthropogenic pressures, such that its long-term viability is ensured.
	Member States shall establish threshold values for each species through regional or subregional cooperation, taking account of natural variation in population size and the mortality rates derived from D1C1, D8C4 and D10C4 and other relevant pressures. For species covered by Directive 92/43/EEC, these values shall be consistent with the Favourable Reference Population values established by the relevant Member States under Directive 92/43/EEC.
	$\hfill\Box$ D1C3 — Primary for commercially- exploited fish and cephalopods and secondary for other species:
	The population demographic characteristics (e.g. body size or age class structure, sex ratio, fecundity, and survival rates) of the species are indicative of a healthy population which is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for specified characteristics of each species through regional or subregional cooperation, taking account of adverse effects on their health derived from D8C2, D8C4 and other relevant pressures.
	\Box D1C4 – Primary for species covered by Annexes II, IV or V to Directive 92/43/EEC and secondary for other species:
	The species distributional range and, where relevant, pattern is in line with prevailing physiographic, geographic and climatic conditions.
	Member States shall establish threshold values for each species through regional or subregional cooperation. For species covered by Directive 92/43/EEC, these shall be consistent with the Favourable Reference Range values established by the relevant Member States under Directive 92/43/EEC.
	\square D1C5 – Primary for species covered by Annexes II, IV and V to Directive 92/43/EEC and secondary for other species:
	The habitat for the species has the necessary extent and condition to support the different stages in the life history of the species.
	□ D1C6 – Primary
	The condition of the habitat type, including its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5 and 8, through regional or subregional cooperation.

Descriptor 2	□ D2C1 – Primary:
	The number of non-indigenous species which are newly introduced via human activity into the wild, per assessment period (6 years), measured from the reference year as reported for the initial assessment under Article 8(1) of Directive 2008/56/EC, is minimised and where possible reduced to zero.
	Member States shall establish the threshold value for the number of new introductions of non-indigenous species, through regional or subregional cooperation.
	□ D2C2 — Secondary:
	Abundance and spatial distribution of established non-indigenous species, particularly of invasive species, contributing significantly to adverse effects on particular species groups or broad habitat types.
	□ D2C3 — Secondary:
	Proportion of the species group or spatial extent of the broad habitat type which is adversely altered due to non-indigenous species, particularly invasive non-indigenous species.
	Member States shall establish the threshold values for the adverse alteration to species groups and broad habitat types due to non-indigenous species, through regional or subregional cooperation.
Descriptor 3	□ D3C1 — Primary:
	The Fishing mortality rate of populations of commercially-exploited species is at or below levels which can produce the maximum sustainable yield (MSY). Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	□ D3C2 — Primary:
	The Spawning Stock Biomass of populations of commercially-exploited species are above biomass levels capable of producing maximum sustainable yield. Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	□ D3C3 — Primary:
	The age and size distribution of individuals in the populations of commercially-exploited species is indicative of a healthy population. This shall include a high proportion of old/large individuals and limited adverse effects of exploitation on genetic diversity.
	Member States shall establish threshold values through regional or subregional cooperation for each population of species in accordance with scientific advice obtained pursuant to Article 26 of Regulation (EU) No 1380/2013.
Descriptor 4	□ D4C1 — Primary:
	The diversity (species composition and their relative abundance) of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C2 — Primary:

	The balance of total abundance between the trophic guilds is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C3 — Secondary:
	The size distribution of individuals across the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	\square D4C3 — Secondary (to be used in support of criterion D4C2, where necessary):
	Productivity of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
Descriptor 5	□ D5C1 — Primary:
	Nutrient concentrations are not at levels that indicate adverse eutrophication effects.
	The threshold values are as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation
	□ D5C2 — Primary:
	Chlorophyll a concentrations are not at levels that indicate adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(c) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(d) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C3 — Secondary:
	The number, spatial extent and duration of harmful algal bloom events are not at levels that indicate adverse effects of nutrient enrichment.
	\square D5C4 — Secondary:
	The photic limit (transparency) of the water column is not reduced, due to increases in suspended algae, to a level that indicates adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(e) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(f) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through

	regional or subregional cooperation.
	\square D5C5 — Primary (may be substituted by D5C8):
	The concentration of dissolved oxygen is not reduced, due to nutrient enrichment, to levels that indicate adverse effects on benthic habitats (including on associated biota and mobile species) or other eutrophication effects.
	The threshold values are as follows:
	(g) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(h) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C6 — Secondary:
	The abundance of opportunistic macroalgae is not at levels that indicate adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C7 — Secondary:
	The species composition and relative abundance or depth distribution of macrophyte communities achieve values that indicate there is no adverse effect due to nutrient enrichment including via a decrease in water transparency, as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	\square D5C8 — Secondary: (except when used as a substitute for D5C5):
	The species composition and relative abundance of macrofaunal communities, achieve values that indicate that there is no adverse effect due to nutrient and organic enrichment, as follows:
	(a) in coastal waters, the values for benthic biological quality elements set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
Descriptor 6	□ D6C1 – Primary:
	Spatial extent and distribution of physical loss (permanent change) of the natural seabed.
	□ D6C2 – Primary:
	Spatial extent and distribution of physical disturbance pressures on the seabed.

	□ D6C3 – Primary:
	Spatial extent of each habitat type which is adversely affected, through change in its biotic and abiotic structure and its functions (e.g. through changes in species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), by physical disturbance.
	Member States shall establish threshold values for the adverse effects of physical disturbance, through regional or subregional cooperation.
	☐ D6C4 – Primary:
	The extent of loss of the habitat type, resulting from anthropogenic pressures, does not exceed a specified proportion of the natural extent of the habitat type in the assessment area.
	Member States shall establish the maximum allowable extent of habitat loss as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities.
	□ D6C5 – Primary:
	The extent of adverse effects from anthropogenic pressures on the condition of the habitat type, including alteration to its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), does not exceed a specified proportion of the natural extent of the habitat type in the assessment area.
	Member States shall establish threshold values for adverse effects on the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5, 6, 7 and 8, through cooperation at Union level, taking into account regional or subregional specificities. Member States shall establish the maximum allowable extent of those adverse effects as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities.
Descriptor 7	☑ D7C1 – Secondary:
	Spatial extent and distribution of permanent alteration of hydrographical conditions (e.g. changes in wave action, currents, salinity, temperature) to the seabed and water column, associated in particular with physical loss(1) of the natural seabed.
	□ D7C2 – Secondary:
	Spatial extent of each benthic habitat type adversely affected (physical and hydrographical characteristics and associated biological communities) due to permanent alteration of hydrographical conditions.
Descriptor 8	□ D8C1 – Primary:
	Within coastal and territorial waters, the concentrations of contaminants do not exceed the following threshold values:
	(a) for contaminants set out under point 1(a) of criteria elements, the values set in accordance with Directive 2000/60/EC;

	(b) when contaminants under point (a) are measured in a matrix for which no value is set under Directive 2000/60/EC, the concentration of those contaminants in that matrix established by Member States through regional or subregional cooperation;
	(c) for additional contaminants selected under point 1(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation, considering their application within and beyond coastal and territorial waters.
	Beyond territorial waters, the concentrations of contaminants do not exceed the following threshold values:
	(a) for contaminants selected under point 2(a) of criteria elements, the values as applicable within coastal and territorial waters;
	(b) for contaminants selected under point 2(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation.
	□ D8C2 – Secondary:
	The health of species and the condition of habitats (such as their species composition and relative abundance at locations of chronic pollution) are not adversely affected due to contaminants including cumulative and synergetic effects.
	Member States shall establish those adverse effects and their threshold values through regional or subregional cooperation.
	□ D8C3 – Primary:
	The spatial extent and duration of significant acute pollution events are minimised.
	\square D8C4 – Secondary (to be used when a significant acute pollution event has occurred):
	The adverse effects of significant acute pollution events on the health of species and on the condition of habitats (such as their species composition and relative abundance) are minimised and, where possible, eliminated.
Descriptor 9	□ D9C1 – Primary:
	The level of contaminants in edible tissues (muscle, liver, roe, flesh or other soft parts, as appropriate) of seafood (including fish, crustaceans, molluscs, echinoderms, seaweed and other marine plants) caught or harvested in the wild (excluding fin-fish from mariculture) does not exceed:
	(a) for contaminants listed in Regulation (EC) No 1881/2006, the maximum levels laid down in that Regulation, which are the threshold values for the purposes of this Decision;
	(b) for additional contaminants, not listed in Regulation (EC) No 1881/2006, threshold values, which Member States shall establish through regional or subregional cooperation.

Descriptor 10	□ D10C1 – Primary:
	The composition, amount and spatial distribution of litter on the coastline, in the surface layer of the water column, and on the seabed, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C2 — Primary:
	The composition, amount and spatial distribution of micro-litter on the coastline, in the surface layer of the water column, and in seabed sediment, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C3 — Secondary:
	The amount of litter and micro-litter ingested by marine animals is at a level that does not adversely affect the health of the species concerned. Member States shall establish threshold values for these levels through regional or subregional cooperation.
	□ D10C4 — Secondary:
	The number of individuals of each species which are adversely affected due to litter, such as by entanglement, other types of injury or mortality, or health effects. Member States shall establish threshold values for the adverse effects of litter, through regional or subregional cooperation.
Descriptor 11	□ D11C1 – Primary:
	The spatial distribution, temporal extent, and levels of anthropogenic impulsive sound sources do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D11C2 – Primary:
	The spatial distribution, temporal extent and levels of anthropogenic continuous low-frequency sound do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.

d. References

Make a list of cited references and literature for further supportive information.

MyOcean Catalogue http://www.myocean.eu/web/24-catalogue.php