HELCOM Monitoring Programme topic

Concentrations of contaminants

Programme:

Imposex

Contents

a. Metadata on monitoring strategies and monitoring programmes	2
a.1 Responsible HELCOM subsidiary body	2
a.2 Regional Cooperation (RegionalCooperation)	3
b. Monitoring strategies	3
b.1 Descriptor	
b.2 BSAP segments	2
b.3 Monitoring strategy description	2
b.4 BSAP Ecological objectives	2
b.5 Gaps in monitoring	5
c. Monitoring programmes	5
c.1 Purpose of monitoring	5
c.2 Other legislation	ç
c.3 Implementation of Regional Cooperation (RegionalCooperation_implementation)	10
c.4 Monitoring concepts	11
c.5 Monitoring and assessment requirements	13
c.6 Data providers and access	13
c.7 MSFD Criteria (GES criteria)	16
d. References	23

a. Metadata on monitoring strategies and monitoring programmes

a.1 Responsible HELCOM subsidiary body

Please indicate the relevant expert group/network if available, otherwise the responsible HELCOM Working Group. or the responsible working group understanding is that they are the EN or EG if available, otherwise the WGs

	Permament Groups
	Gear – Group on the Implementation of the Ecosystem Approach
	Maritime – Maritime Working Group
	Pressure – Working Group on Reduction of Pressures from the Baltic Sea Catchment Area
	Response – Response Working Group
\boxtimes	State and Conservation – Working Group on the State of the Environmental and Nature Conservation
	Time-limited Groups
	Agri – Group on Sustainable Agricultural Practices
	Fish – Group on Ecosystem-based Sustainable Fisheries
	HELCOM-VASAB MSP WG - Joint HELCOM-VASAB Maritime Spatial Planning Working Group
	Expert Groups
	AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data
\boxtimes	EN Hazardous Substances – Expert Network on hazardous substances
	EN Marine Litter – Expert Network on Marine Litter
	EN Noise – Expert Network on Underwater Noise
	ESA – Expert Network on Economic and Social Analyses
	EWG OWR – Expert Working Group on Oiled Wildlife Response
	EWG SHORE – Expert Working Group on Response on the Shore
	Green Technology and Alternative Fuels Platform for Shipping
	HELCOM/OSPAR TG BALLAST – Joint HELCOM/OSPAR Task Group on Ballast Management Convention Exemptions

	IN Benthic habitat – Intersessional Network on habitat monitoring
	IWGAS – Informal Working Group on Aerial Surveillance
	JWG Bird – HELCOM-OSPAR-ICES Joint Working Group on Seabirds
	MORS EG – Expert group on monitoring of radioactive substances in the Baltic Sea
	PRF Cooperation Platform – Cooperation Platform on Port Reception Facilities in the Baltic Sea
	SAFE NAV – Group of Experts on Safety of Navigation
	SUBMERGED – Expert Group on Environmental Risks of Hazardous Submerged Objects
☑ Partly ☐ Coord	coordinated coordinated. Indicate missing component(s): inated monitoring is under development. Indicate by which group/project and by when a endation on coordinated monitoring can be expected.
Coordinate	d monitoring guideline
b.1 Desc	itoring strategies criptor me supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant
□ D1	Biodiversity
□ D2	Non-indigenous Species
□ D3	Commercial fish and shellfish
□ D 4	Food webs
□ D 5	Eutrophication
□ D 6	Seafloor integrity
□ D 7	Hydrographical conditions

⊠ D8	Contaminants
□ D9	Contaminants in seafood
□ D10	Marine litter
□ D11	Energy including underwater noise
b.2 BSAP se The sub-programm	egments ne serves the following BSAP segments. Tick one or more relevant boxes.
□Eutrophication	1
⊠Hazardous sub	ostances
⊠Biodiversity	
☐ Maritime activ	rities
Monitoring strat ecological object	ring strategy description regy: Monitoring is to be carried out to fulfill assessment requirements of HELCOM rives that are specified through HELCOM core indicators. The requirements on include number of stations, the sampling frequency and replication.
	cological objectives nost relevant option(s). Tick one or more boxes below.
Eutrophication	☐ Concentrations of nutrients close to natural levels
	☐ Clear water
	\square Natural level of algal blooms
	\square Natural distribution and occurrence of plants and animals
	☐ Natural oxygen levels
Hazardous substances	oxtimes Concentrations of hazardous substances close to natural levels
Substances	☐ All fish safe to eat
	☐ Healthy wildlife
	\square Radioactivity at pre-Chernobyl levels
Biodiversity	☐ Natural landscapes and seascapes
	\square Thriving and balanced communities of plants and animals
	☑ Viable populations of species
Maritime activities	☐ No illegal pollution

 $\hfill \square$ Safe maritime traffic without accidental pollution

 $\hfill\Box$ Efficient response capability

	No introductions of alien species from ships
	Minimum air pollution from ships
	Zero discharges from offshore platforms
	onitoring criteria addressed, indicate when sufficient monitoring was in place or by when I be in place (Coverage_GEScriteria)
☐ Adequate monitori	ng was in place in 2014
☐ Adequate monitori	ng was in place by 2018
☐ Adequate monitori	ng is in place by July 2020
☐ Adequate monitori	ng will be in place by 2024
\square Monitoring is not b	eing put in place for this descriptor due to a low risk
☐ Monitoring for this	descriptor is not relevant
·	elementation gaps and plans to complete the establishment and implementation of ring strategy (Gaps_Plans):
No information.	

c. Monitoring programmes

c.1 Purpose of monitoring

c.1a Assessment purpose in general

The programme supports the assessment of:

Tick the relevant box.

Temporal trends	Spatial distribution	State classification
	\boxtimes	\boxtimes

The **programme** supports the assessment of: (MonitoringPurpose).

Note that the answer to this question will be decisive for whether to answer upcoming questions e.g. upcoming questions on pressures should only be answered if the monitoring is defined as supporting the assessment of pressures.

Tick the relevant boxes.

¹ Sea-based 'Pressures at source' refers to monitoring pressures from sea-based activities where the monitoring is directly at the activity rather than at a distance from or time period after it is generated by the activity (e.g. D1 incidental by-catch when fishing, D2 ballast water discharges, D6 use of bottom fishing gear, D8 contaminant discharges and pollution events from a vessel or pipeline, D11 impulsive sound events from a vessel or platform).

		atmospheric sources)		
If this is selected fill in the following questions:	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions:	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d
Give any other monitoring monitoring programmes		grammes include supp	orting parameters for c	ther

For questions 1b-1d, select when applicable for the sub-programme, the link from the Reporting on the 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020) (Features) to:

- Ecosystem components (relevant for monitoring and assessment for Article 8(1a) for D1C2-C5, D3, D4, D6C3-C5, D7C2)
- Pressures and impacts in the marine environment (relevant for monitoring and assessment for Article 8(1b) for D1C1, D2, D5, D6C1-C2, D7C1, D8, D9, D10, D11)
- Pressure inputs to the marine environment (relevant for monitoring and assessment for Article 10)
- Uses and human activities (relevant for monitoring and assessment for Article 8(1c) and 13)

c.1b • Ecosystem components (Features)

Choose only the most relevant option(s). Tick one or more boxes below.

Theme	Sub-theme	Label feature
Species	☐ Birds	☐ Grazing birds
		☐ Wading birds
		☐ Surface-feeding birds
		☐ Pelagic-feeding birds
		☐ Benthic-feeding birds
	☐ Mammals	☐ Small toothed cetaceans
		☐ Deep-diving toothed cetaceans
		☐ Baleen whales
		☐ Seals
	☐ Reptiles	☐ Turtles
	☐ Fish	☐ Coastal fish
		☐ Pelagic shelf fish
		☐ Demersal shelf fish
		☐ Deep-sea fish

Cephalopods Coastal/shelf cephalopods Deep-sea cephalopods			\square Commercially exploited fish and shellfish	
Habitats Benthic habitats Benthic broad habitats Other benthic habitats Other benthic habitats Other pelagic broad habitats Other pelagic habitats Other pela		☐ Cephalopods	☐ Coastal/shelf cephalopods	
Other benthic habitats Pelagic broad habitats Other pelagic habit			☐ Deep-sea cephalopods	
Pelagic habitats Pelagic broad habitats Other pelagic habitats Other pelagic habitats	Habitats	\square Benthic habitats	\square Benthic broad habitats	
Ecosystems Physical and hydrological characteristics Chemical characteristics Ecosystems, including Coastal ecosystems Oceanic/deep-sea ecosystems			\square Other benthic habitats	
Ecosystems		☐ Pelagic habitats	☐ Pelagic broad habitats	
Chemical characteristics Coastal ecosystems Coastal ecosystems Shelf ecosystems Oceanic/deep-sea ecosystems Oceanic			\square Other pelagic habitats	
Ecosystems, including food webs Shelf ecosystems Shelf ecosystems Oceanic/deep-sea ecosy	Ecosystems	☐ Physical and hydrological characteristics		
Shelf ecosystems Oceanic/deep-sea ecosystems Oceanic/deep-se		☐ Chemical characteristics		
C.1c • Pressures and impacts in the marine environment (Features) Choose only the most relevant option(s). Tick one or more boxes below. Theme		•	☐ Coastal ecosystems	
C.1c • Pressures and impacts in the marine environment (Features) Choose only the most relevant option(s). Tick one or more boxes below. Theme		food webs	☐ Shelf ecosystems	
Choose only the most relevant option(s). Tick one or more boxes below. Theme			☐ Oceanic/deep-sea ecosystems	
Biological				
☐ Established non-indigenous species ☐ Species affected by incidental by-catch Physical and hydrological ☐ Hydrographical changes ☐ Physical disturbance to seabed ☐ Physical loss of the seabed Substances, litter and energy ☐ Contaminants - non UPBT substances ☐ Contaminants - UPBT substances ☐ Contaminants - in seafood ☐ Adverse effects on species or habitats ☐ Acute pollution events ☐ Litter in the environment ☐ Impulsive sound in water	Theme	Label: Feature		
□ Species affected by incidental by-catch Physical and hydrological □ Hydrographical changes □ Physical disturbance to seabed □ Physical loss of the seabed Substances, litter and energy □ Contaminants - non UPBT substances □ Contaminants - UPBT substances □ Contaminants - in seafood □ Adverse effects on species or habitats □ Acute pollution events □ Litter in the environment □ Impulsive sound in water	Biological	☐ Newly introduced non-	indigenous species	
Physical and hydrological Physical disturbance to seabed Physical loss of the seabed Substances, litter and energy Contaminants - non UPBT substances Contaminants - UPBT substances Contaminants - in seafood Adverse effects on species or habitats Acute pollution events Litter in the environment Impulsive sound in water		☐ Established non-indigenous species		
hydrological Physical disturbance to seabed Physical loss of the seabed Substances, litter and energy Contaminants - non UPBT substances Contaminants - UPBT substances Contaminants - in seafood Adverse effects on species or habitats Acute pollution events Litter in the environment Impulsive sound in water		\square Species affected by inc	idental by-catch	
□ Physical disturbance to seabed □ Physical loss of the seabed Substances, litter and energy □ Contaminants - non UPBT substances □ Contaminants - UPBT substances □ Contaminants - in seafood □ Adverse effects on species or habitats □ Acute pollution events □ Litter in the environment □ Impulsive sound in water	•	☐ Hydrographical changes		
Substances, litter and energy Contaminants - non UPBT substances Contaminants - UPBT substances Contaminants - in seafood Adverse effects on species or habitats Acute pollution events Litter in the environment Impulsive sound in water	hydrological	☐ Physical disturbance to seabed		
Contaminants - non UPBT substances Contaminants - UPBT substances Contaminants - in seafood Adverse effects on species or habitats Acute pollution events Litter in the environment Impulsive sound in water		☐ Physical loss of the seabed		
Contaminants - non UPBT substances ☐ Contaminants - UPBT substances ☐ Contaminants - in seafood ☐ Adverse effects on species or habitats ☐ Acute pollution events ☐ Litter in the environment ☐ Impulsive sound in water		☐ Eutrophication		
 ☐ Contaminants - UPBT substances ☐ Contaminants - in seafood ☐ Adverse effects on species or habitats ☐ Acute pollution events ☐ Litter in the environment ☐ Impulsive sound in water 		☐ Contaminants - non UPBT substances		
 □ Adverse effects on species or habitats □ Acute pollution events □ Litter in the environment □ Impulsive sound in water 	0,	☐ Contaminants - UPBT substances		
☐ Acute pollution events ☐ Litter in the environment ☐ Impulsive sound in water		☐ Contaminants – in seaf	ood	
☐ Litter in the environment ☐ Impulsive sound in water		☐ Adverse effects on spe	cies or habitats	
☐ Impulsive sound in water		☐ Acute pollution events		
		\Box Litter in the environme	nt	
☐ Continuous low frequency sound		\square Impulsive sound in wat	er	
· ,		\square Continuous low freque	ncy sound	

c.1d • Pressure inputs to the marine environment (Features)

Theme	Label: Feature
Biological	\square Input or spread of non-indigenous species
	☐ Input of microbial pathogens
	\square Input of genetically modified species and translocation of native species
	$\hfill\Box$ Loss of, or change to, natural biological communities due to cultivation of animal or plant species
	$\hfill\Box$ Disturbance of species (e.g. where they breed, rest and feed) due to human presence
	\Box Extraction of, or mortality/injury to, wild species (by commercial and recreational fishing and other activities)
Substances,	☐ Input of nutrients — diffuse sources, point sources, atmospheric deposition
litter and energy	☐ Input of organic matter — diffuse sources and point sources
cher _B ,	☑ Input of other substances (e.g. synthetic substances, non-synthetic substances, radionuclides) — diffuse sources, point sources, atmospheric deposition, acute events
	☐ Input of litter (solid waste matter, including micro-sized litter)
	☐ Input of anthropogenic sound (impulsive, continuous)
	\Box Input of other forms of energy (including electromagnetic fields, light and heat)
	\square Input of water — point sources (e.g. brine)

c.1e • Uses and human activities (Features)

Choose only the most relevant option(s). Tick one or more boxes below.

Theme	Label: Feature
Physical	☐ Land claim
restructuring of rivers, coastline	☐ Canalisation and other watercourse modifications
or seabed (water	☐ Coastal defence and flood protection
management)	☐ Offshore structures (other than for oil/gas/renewables)
	☐ Restructuring of seabed morphology, including dredging and depositing of materials
Extraction of	☐ Extraction of minerals (rock, metal ores, gravel, sand, shell)
non-living resources	☐ Extraction of oil and gas, including infrastructure
	☐ Extraction of salt
	☐ Extraction of water

Production of energy	$\hfill\Box$ Renewable energy generation (wind, wave and tidal power), including infrastructure	
	☐ Non-renewable energy generation	
	☐ Transmission of electricity and communications (cables)	
Extraction of	☐ Fish and shellfish harvesting (professional, recreational)	
living resources	☐ Fish and shellfish processing	
	☐ Marine plant harvesting	
	☐ Hunting and collecting for other purposes	
Cultivation of	☐ Aquaculture — marine, including infrastructure	
living resources	☐ Aquaculture — freshwater	
	☐ Agriculture	
	□ Forestry	
Transport	☐ Transport infrastructure	
	☐ Transport — shipping	
	☐ Transport — air	
	☐ Transport — land	
Urban and	☐ Urban uses	
industrial uses	☐ Industrial uses	
	☐ Waste treatment and disposal	
Tourism and	☐ Tourism and leisure infrastructure	
leisure	☐ Tourism and leisure activities	
Security/defence	☐ Military operations (subject to Article 2(2))	
Education and research	☐ Research, survey and educational activities	
c.2 Other legislation The sub-programme links with the following other international legislation (OtherPoliciesConventions). Tick one or more relevant boxes.		
☐ Bathing Water Di	irective	
□Common Fisherie	es Policy and Data Collection Framework	
☐ Habitats Directive	e	
\square Birds Directive		
☐ Nitrates Directive	2	
□Urban Waste Wa	iter Treatment Directive	
	k Directive	

⊠OSPAR Convention
☐Trilateral Wadden Sea Convention
☑Other, Specify: Marine Spatial Planning Directive
c.3 Implementation of Regional Cooperation (RegionalCooperation_implementation) Indicate the level of implementation by selecting one of the following:
☐ Agreed data collection methods
☐Common monitoring strategy (spatial and temporal design of programme)
⊠Coordinated data collection (delivered separately by each country)
□ Joint data collection (multinational delivery using same platform and/or algorithms)

c.4 Monitoring concepts

Monitoring concepts table²:

Current means of coordination	Features or Elements Elements (Features) (Features_enum)	Parameter Parameters (Parameter) (ParametersOther)	Method MonitoringMetho d (Monitoring Method) MonitoringMetho dOther)	QA/QC (Free text)	Frequency ³ MonitoringFrequency	Spatial resolution (density) of sampling (ProgrammeDescripti on)	Link to HELCOM core indicators ⁴ (RelatedIndicator) (RelatedIndicator_n ame	Spatial scope (SpatialSco pe)	Monitorin g started (year) (TemporalSc ope)	CPs monitoring ⁵ (CountryCode_E num)
Regional (COMBINE)	Imposex in snails + intersex as a complement to imposex	Biological effects of contaminants	National	Other	Other	SE: 14 stations in the Baltic Sea, 2 in Öresund and 6 in Kattegat DK: Imposex in whelks from Kattegat, the Great Belt, and the Sound and also intersex in periwinkle in harbours	TributyIn (TBT) and imposex	EEZ	DK: 1998 DE: sporadical ly SE: 2008	DK, DE, SE

-

² Needed codelists can be found on 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020).

³ The option "Different for each country - see MORE overview" refers to the <u>overview</u> carried out in 2013

⁴ Give the name of HELCOM core indicators that are based on the monitoring parameter.

⁵ Provide information on the Contracting Partie(s) that are monitoring the parameter.

PARAMETER

Element/Parameter pair

Imposex in snails + intersex in snails in harbours

METHOD (Monitoring Details)

Element/parameter

SE: http://www.naturvardsverket.se/upload/stod-i-

miljoarbetet/vagledning/miljoovervakning/handledning/metoder/undersokningstyper/kust-hav/org-tennforening-kust-hav-utyp-v1-1-20150423.pdf

DK: https://docplayer.dk/15287367-Teknisk-anvisning-for-marin-overvaagning.html

HELCOM guideline: https://helcom.fi/media/documents/Guidelines-for-monitoring-of-biological-effects-imposex-and-intersex.pdf

QA/QC

Element/Parameter pair

FREQUENCY

Frequency

Element/Parameter pair

SE: Yearly

DE: In DE imposex is not investigated routinely but sporadically

DK: Every second year

SPATIAL SCOPE

Spatial Scope

Element/Parameter pair

SE: Coastal waters

DK: Open waters and coastal waters

SPATIAL RESOLUTION (DENSITY) OF SAMPLING

Spatial resolution

Element/Parameter pair

SE: 14 stations in the Baltic Sea, 2 in Öresund and 6 in Kattegat

DK: 10 stations in open waters of Kattegat, Great belt and the Sound, and also in addition coastal and harbor stations.

Provide considerations for the scal one or more relevant boxes below:		on of data for an indicator-based assessment Tick
⊠HELCOM assessment unit Level 4: Su	ubbasins with co	pastal WFD division
☐ HELCOM assessment unit Level 3: Su	ubbasins with co	pastal and offshore division
⊠HELCOM assessment unit Level 2: Su	ubbasin	
⊠HELCOM assessment unit Level 1: B	altic Sea	
☐MSFD Region		
□EU		
☐ Other (specify) Coastal zones		
□Unknown		
c.5 Monitoring and asse	Simenti	equirements
No information.		
		nformation to enable the periodic assessment of towards GES as required by MSFD under Article 9 and
	Yes	No
Adequate data?		\boxtimes
Established methods for assessment?		
Adequate understanding of GES?		\boxtimes
Adequate capacity to perform assessments?		
Assessment of natural variability		
No information		
c.6 Data providers and	access	

From which database the data can be made available? Tick the relevant boxes below:

☐ HELCOM COMBINE	☐ HELCOM PLC ☐ HELCOM MORS		
⊠Other:	ICES database, national database		
If the previous ans the HELCOM Secre	wer is "Other" please fill in the next questions (In case the answer is a HELCOM database, tariat will do it)		
Data type Tick th	ne relevant boxes below:		
⊠Unprocessed/ra	w Data		
☐ Processed Data	sets		
\square Data Products			
\square Modelled data			
	:: General description of data management (DataManagement, Free text)		
No information			
What method/me provide location (D	chanism will be used to make the data available? Tick the relevant boxes below and DataAccess):		
\square Providing URL t	o view data:		
\square Providing URL to	o download data:		
\square Provide location	n of data in national data centre: Click here to enter text.		
⊠ Provide location	☑ Provide location of data in international data centre (e.g. RSC, ICES, EEA, EMODnet):		
When will the data	a first become available? (DataPublicationDate)		
Enter the date of re	eporting, or even a past date if desired (MM/YYYY):		
No information			
How frequently ar	e the data expected to be updated thereafter? Tick the relevant box below:		
☐ Every 6 years	□Weekly		
☐ Every 3 years	□Daily		
☐ Every 2 years	□Hourly		
⊠Yearly	□ Continually		
\Box 6-monthly	□One-off		
☐3-monthly	☐ As needed		

☐Monthly	☐ Other (specify)		
\square 2-weekly	□Unknown		
	points in the Contracting Parties		
DK. Jakob Strand, Aar	hus University, Denmark, jak@bios.au.dk		
SE: Marina Magnusso	n		
Has the data been used	d or is it planned to be used in HELCOM assessments? Tick the relevant box below:		
⊠Yes □No			
Select if data is used in below:	the following Baltic Sea Environment Fact Sheets (BSEF) Tick the relevant boxes		
Biodiversity			
\square Abundance and distr	ibution of marenzelleria species		
\square Abundance and distr	ibution of Round goby		
\square Abundance and distr	ibution of the Zebra mussel		
\square Biopollution level inc	lex		
☐Observed non-indige	enous and cryptogenic species in the Baltic Sea		
\square Population developm	nent of Great Cormorant		
\square Population developm	nent of Sandwich Tern		
\square Population developm	nent of Southern Dunlin		
☐ Population Development of White-tailed Sea Eagle			
☐Temporal developme	ent of Baltic coastal fish communities and key species		
Eutrophication			
☐ Bacterioplankton gro	pwth		
$\label{lem:concentrations} \square \textit{Chlorophyll-a concentrations, temporal variations and regional differences from satellite remote sensing}$			
□Cyanobacteria biomass			
☐ Cyanobacterial blooms in the Baltic Sea			
□Cyanobacteria bloom index			
\square Impacts of invasive p	hytoplankton species on the Baltic Sea ecosystem in 1980-2008		
\square Nitrogen atmospheri	c deposition to the Baltic Sea		
□Nitrogen emissions t	o the air in the Baltic Sea area		
☐ Phytoplankton biomass and species succession			

☐ Shifts in the Baltic Sea summer phytoplankton communities in 1992-2006			
☐ Spatial distribution of the winter nutrient pool			
☐Unusual phytoplankton event			
Hazardous subst	ances		
\square Atmospheric de	position of heavy metals on the Baltic Sea		
\square Atmospheric de	position of PCDD/Fs on the Baltic Sea		
\square Atmospheric em	nissions of heavy metals in the Baltic Sea region		
\square Atmospheric em	nissions of PCDD/Fs in the Baltic Sea region		
\square Cesium-137 in B	altic Sea sediments		
☐Temporal trends	s in contaminants in Herring in the Baltic Sea in the period 1980-2010		
\square Emissions from	Baltic Sea shipping		
□Illegal discharge	s of oil in the Baltic Sea		
\square Liquid discharge	s of Cs-137, Sr-90 and Co-60 into the Baltic Sea		
\square Trace metal con	centrations and trends in Baltic surface and deep waters		
Hydrography			
\square Development of	Sea Surface Temperature in the Baltic Sea		
\square Hydrography an	d Oxygen in the Deep Basins		
\square Ice season			
\square Total and region	al runoff to the Baltic Sea		
□Water Exchange	between the Baltic Sea and the North Sea, and conditions in the Deep Basins		
\square Wave climate in	☐ Wave climate in the Baltic Sea		
c.7 MSFD Ci	riteria (GES criteria)		
	ost relevant option(s). Tick one or more boxes below.		
Descriptor 1	□ D1C1 – Primary:		
	The mortality rate per species from incidental by-catch is below levels which threaten		
	the species, such that its long- term viability is ensured.		
	Member States shall establish the threshold values for the mortality rate from incidental by-catch per species, through regional or subregional cooperation.		
	□ D1C2 – Primary:		
	The population abundance of the species is not adversely affected due to anthropogenic pressures, such that its long-term viability is ensured.		
	Member States shall establish threshold values for each species through regional or subregional cooperation, taking account of natural variation in population size and the		

	mortality rates derived from D1C1, D8C4 and D10C4 and other relevant pressures. For species covered by Directive 92/43/EEC, these values shall be consistent with the Favourable Reference Population values established by the relevant Member States under Directive 92/43/EEC.
	\square D1C3 – Primary for commercially- exploited fish and cephalopods and secondary for other species:
	The population demographic characteristics (e.g. body size or age class structure, sex ratio, fecundity, and survival rates) of the species are indicative of a healthy population which is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for specified characteristics of each species through regional or subregional cooperation, taking account of adverse effects on their health derived from D8C2, D8C4 and other relevant pressures.
	\square D1C4 – Primary for species covered by Annexes II, IV or V to Directive 92/43/EEC and secondary for other species:
	The species distributional range and, where relevant, pattern is in line with prevailing physiographic, geographic and climatic conditions.
	Member States shall establish threshold values for each species through regional or subregional cooperation. For species covered by Directive 92/43/EEC, these shall be consistent with the Favourable Reference Range values established by the relevant Member States under Directive 92/43/EEC.
	\square D1C5 – Primary for species covered by Annexes II, IV and V to Directive 92/43/EEC and secondary for other species:
	The habitat for the species has the necessary extent and condition to support the different stages in the life history of the species.
	□ D1C6 – Primary
	The condition of the habitat type, including its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5 and 8, through regional or subregional cooperation.
Descriptor 2	□ D2C1 – Primary:
	The number of non-indigenous species which are newly introduced via human activity into the wild, per assessment period (6 years), measured from the reference year as reported for the initial assessment under Article 8(1) of Directive 2008/56/EC, is minimised and where possible reduced to zero.
	Member States shall establish the threshold value for the number of new introductions of non-indigenous species, through regional or subregional cooperation.
	□ D2C2 — Secondary:
	Abundance and spatial distribution of established non-indigenous species, particularly of invasive species, contributing significantly to adverse effects on particular species

	groups or broad habitat types.
	□ D2C3 — Secondary:
	Proportion of the species group or spatial extent of the broad habitat type which is adversely altered due to non-indigenous species, particularly invasive non-indigenous species.
	Member States shall establish the threshold values for the adverse alteration to species groups and broad habitat types due to non-indigenous species, through regional or subregional cooperation.
Descriptor 3	□ D3C1 — Primary:
	The Fishing mortality rate of populations of commercially-exploited species is at or below levels which can produce the maximum sustainable yield (MSY). Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	☐ D3C2 — Primary:
	The Spawning Stock Biomass of populations of commercially-exploited species are above biomass levels capable of producing maximum sustainable yield. Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	□ D3C3 — Primary:
	The age and size distribution of individuals in the populations of commercially-exploited species is indicative of a healthy population. This shall include a high proportion of old/large individuals and limited adverse effects of exploitation on genetic diversity.
	Member States shall establish threshold values through regional or subregional cooperation for each population of species in accordance with scientific advice obtained pursuant to Article 26 of Regulation (EU) No 1380/2013.
Descriptor 4	□ D4C1 — Primary:
	The diversity (species composition and their relative abundance) of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	☐ D4C2 — Primary:
	The balance of total abundance between the trophic guilds is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C3 — Secondary:
	The size distribution of individuals across the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	\square D4C3 — Secondary (to be used in support of criterion D4C2, where necessary):

	Productivity of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
Descriptor 5	□ D5C1 — Primary:
	Nutrient concentrations are not at levels that indicate adverse eutrophication effects.
	The threshold values are as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation
	□ D5C2 — Primary:
	Chlorophyll a concentrations are not at levels that indicate adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(c) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(d) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C3 — Secondary:
	The number, spatial extent and duration of harmful algal bloom events are not at levels that indicate adverse effects of nutrient enrichment.
	□ D5C4 — Secondary:
	The photic limit (transparency) of the water column is not reduced, due to increases in suspended algae, to a level that indicates adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(e) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(f) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	\square D5C5 — Primary (may be substituted by D5C8):
	The concentration of dissolved oxygen is not reduced, due to nutrient enrichment, to levels that indicate adverse effects on benthic habitats (including on associated biota and mobile species) or other eutrophication effects.
	The threshold values are as follows:
	(g) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(h) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.

	□ D5C6 — Secondary:
	The abundance of opportunistic macroalgae is not at levels that indicate adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C7 — Secondary:
	The species composition and relative abundance or depth distribution of macrophyte communities achieve values that indicate there is no adverse effect due to nutrient enrichment including via a decrease in water transparency, as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	\square D5C8 — Secondary: (except when used as a substitute for D5C5):
	The species composition and relative abundance of macrofaunal communities, achieve values that indicate that there is no adverse effect due to nutrient and organic enrichment, as follows:
	(a) in coastal waters, the values for benthic biological quality elements set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
Descriptor 6	□ D6C1 – Primary:
	Spatial extent and distribution of physical loss (permanent change) of the natural seabed.
	□ D6C2 – Primary:
	Spatial extent and distribution of physical disturbance pressures on the seabed.
	□ D6C3 – Primary:
	Spatial extent of each habitat type which is adversely affected, through change in its biotic and abiotic structure and its functions (e.g. through changes in species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), by physical disturbance.
	Member States shall establish threshold values for the adverse effects of physical disturbance, through regional or subregional cooperation.
	□ D6C4 – Primary:
	The extent of loss of the habitat type, resulting from anthropogenic pressures, does not

exceed a specified proportion of the natural extent of the habitat type in the assessment area. Member States shall establish the maximum allowable extent of habitat loss as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities. \square D6C5 – Primary: The extent of adverse effects from anthropogenic pressures on the condition of the habitat type, including alteration to its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), does not exceed a specified proportion of the natural extent of the habitat type in the assessment area. Member States shall establish threshold values for adverse effects on the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5, 6, 7 and 8, through cooperation at Union level, taking into account regional or subregional specificities. Member States shall establish the maximum allowable extent of those adverse effects as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities. Descriptor 7 ☐ D7C1 – Secondary: Spatial extent and distribution of permanent alteration of hydrographical conditions (e.g. changes in wave action, currents, salinity, temperature) to the seabed and water column, associated in particular with physical loss(1) of the natural seabed. \square D7C2 – Secondary: Spatial extent of each benthic habitat type adversely affected (physical and hydrographical characteristics and associated biological communities) due to permanent alteration of hydrographical conditions. **Descriptor 8** \boxtimes D8C1 – Primary: Within coastal and territorial waters, the concentrations of contaminants do not exceed the following threshold values: (a) for contaminants set out under point 1(a) of criteria elements, the values set in accordance with Directive 2000/60/EC; (b) when contaminants under point (a) are measured in a matrix for which no value is set under Directive 2000/60/EC, the concentration of those contaminants in that matrix established by Member States through regional or subregional cooperation; (c) for additional contaminants selected under point 1(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation, considering their application within and beyond coastal and territorial waters. Beyond territorial waters, the concentrations of contaminants do not exceed the following threshold values:

	(a) for contaminants selected under point 2(a) of criteria elements, the values as applicable within coastal and territorial waters;
	(b) for contaminants selected under point 2(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation.
	☑ D8C2 – Secondary:
	The health of species and the condition of habitats (such as their species composition and relative abundance at locations of chronic pollution) are not adversely affected due to contaminants including cumulative and synergetic effects.
	Member States shall establish those adverse effects and their threshold values through regional or subregional cooperation.
	□ D8C3 – Primary:
	The spatial extent and duration of significant acute pollution events are minimised.
	\square D8C4 – Secondary (to be used when a significant acute pollution event has occurred):
	The adverse effects of significant acute pollution events on the health of species and on the condition of habitats (such as their species composition and relative abundance) are minimised and, where possible, eliminated.
Descriptor 9	□ D9C1 – Primary:
	The level of contaminants in edible tissues (muscle, liver, roe, flesh or other soft parts, as appropriate) of seafood (including fish, crustaceans, molluscs, echinoderms, seaweed and other marine plants) caught or harvested in the wild (excluding fin-fish from mariculture) does not exceed:
	(a) for contaminants listed in Regulation (EC) No 1881/2006, the maximum levels laid down in that Regulation, which are the threshold values for the purposes of this Decision;
	(b) for additional contaminants, not listed in Regulation (EC) No 1881/2006, threshold values, which Member States shall establish through regional or subregional cooperation.

Descriptor 10	□ D10C1 – Primary:
	The composition, amount and spatial distribution of litter on the coastline, in the surface layer of the water column, and on the seabed, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C2 — Primary:
	The composition, amount and spatial distribution of micro-litter on the coastline, in the surface layer of the water column, and in seabed sediment, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C3 — Secondary:
	The amount of litter and micro-litter ingested by marine animals is at a level that does not adversely affect the health of the species concerned. Member States shall establish threshold values for these levels through regional or subregional cooperation.
	□ D10C4 — Secondary:
	The number of individuals of each species which are adversely affected due to litter, such as by entanglement, other types of injury or mortality, or health effects. Member States shall establish threshold values for the adverse effects of litter, through regional or subregional cooperation.
Descriptor 11	□ D11C1 – Primary:
	The spatial distribution, temporal extent, and levels of anthropogenic impulsive sound sources do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D11C2 – Primary:
	The spatial distribution, temporal extent and levels of anthropogenic continuous low-frequency sound do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.

d. References

 $\label{lem:make} \mbox{Make a list of cited references and literature for further supportive information.}$