HELCOM Monitoring Programme topic

Underwater noise

Programme:

Impulsive noise

Contents

a.	Metadata on monitoring strategies and monitoring programmes	2
	a.1 Responsible HELCOM subsidiary body	2
	a.2 Regional Cooperation	3
b.	Monitoring strategies	3
	b.1 Descriptor	3
	b.2 BSAP segments	4
	b.3 Monitoring strategy description	4
	b.4 BSAP Ecological objectives	4
	b.5 MSFD Criteria (Criteria)	. 20
	b.6 Gaps in monitoring	5
c.	Monitoring programmes	е
	c.1 Purpose of monitoring	6
	c.2 Other legislation	. 10
	c.3 Implementation of Regional Cooperation	. 10
	c.4 Monitoring concepts	. 12
	c.5 Monitoring and assessment requirements	. 15
	c.6 Data providers and access	. 17
٦.	Deferences	26

a. Metadata on monitoring strategies and monitoring programmes

a.1 Responsible HELCOM subsidiary body

Please indicate the relevant expert group/network if available, otherwise the responsible HELCOM Working Group.

	Permament Groups	
	Gear – Group on the Implementation of the Ecosystem Approach	
	Maritime – Maritime Working Group	
\boxtimes	Pressure – Working Group on Reduction of Pressures from the Baltic Sea Catchment Area	
	Response – Response Working Group	
	State and Conservation – Working Group on the State of the Environmental and Nature Conservation	
	Time-limited Groups	
	Agri – Group on Sustainable Agricultural Practices	
	Fish – Group on Ecosystem-based Sustainable Fisheries	
	HELCOM-VASAB MSP WG - Joint HELCOM-VASAB Maritime Spatial Planning Working Group	
	·	
	Group	
	Group Expert Groups	
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data	
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances	
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter	
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise	
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses	
	Expert Groups AlS EWG – Expert Working Group for Mutual Exchange and Deliveries of AlS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response	
	Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response EWG SHORE – Expert Working Group on Response on the Shore	

	IN-EUTROPHICATION - Intersessional Network on Eutrophication			
	IWGAS – Informal Working Group on Aerial Surveillance			
	JWG Bird – HELCOM-OSPAR-ICES Joint Working Group on Seabirds			
	MORS EG – Expert group on monitoring of radioactive substances in the Baltic Sea			
	PRF Cooperation Platform – Cooperation Platform on Port Reception Facilities in the Baltic Sea			
	SAFE NAV – Group of Experts on Safety of Navigation			
	SUBMERGED – Expert Group on Environmental Risks of Hazardous Submerged Objects			
The monitoring of	of this programme is:			
☐ Fully coor				
⊠ Partly cod	ordinated. Indicate missing component(s):			
	\Box Coordinated monitoring is under development. Indicate by which group/project and by when a recommendation on coordinated monitoring can be expected.			
Coordinated data collection, but regionally coordinated monitoring guidelines for impulsive noise are missing. National procedures and obligations to register and report impulsive sound events are not fully implemented.				
b.1 Descri	oring strategies ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant			
□ D1	Biodiversity			
□ D2	Non-indigenous Species			
□ D3	Commercial fish and shellfish			
□ D4	Food webs			
□ D 5	Eutrophication			
□ D 6	Seafloor integrity			
□ D7	Hydrographical conditions			

L D8 Contaminants			
□ D9 Contaminants in seafood			
□ D10	Marine litter		
⊠ D11	Energy including underwater noise		
b.2 BSAP segments The sub-programme serves the following BSAP segments. Tick one or more relevant boxes.			
□Eutrophication			
☐ Hazardous substances			
□Biodiversity			
⊠Maritime acti	⊠Maritime activities		

b.3 Monitoring strategy description

Monitoring strategy: Monitoring is to be carried out to fulfill assessment requirements of HELCOM ecological objectives that are specified through HELCOM core indicators.

Data on the distribution in time and place of loud low- and mid-frequency anthropogenic impulsive sounds is gathered by each Contracting Party and reported regularly to the regional Registry held at ICES. The Registry of impulsive sounds at ICES makes data available for assessments.

The requirements on monitoring for the purpose of the registry of impulsive sound events include:

- Each Contracting Party should arrange obligation to register impulsive sound events according the Guidance given by TG-Noise,
- The delivery to the ICES Noise Registry should follow regularly, once a year for the impulsive sound events of the preceding year,
- Each Contracting Party should have a responsible contact center for the deliveries at ICES,
- The data content should follow the most recent advice given by TG-Noise,
- The data format should fulfill submission requirements of ICES and HELCOM,
- Each Contracting Party should check for data quality and report to ICES together with annual delivery and information on missing data,
- The EN-Noise should advise contracting parties on common quality checks
- ICES should deliver data from the Common Noise Registry for all assessments or studies in the Framework of HELCOM.

b.4 BSAP Ecological objectives

Choose only the most relevant option(s). Tick one or more boxes below.

Eutrophication	☐ Concentrations of nutrients close to natural levels
	☐ Clear water

	☐ Natural level of algal blooms
	oxtimes Natural distribution and occurrence of plants and animals
	☐ Natural oxygen levels
Hazardous	\square Concentrations of hazardous substances close to natural levels
substances	\square All fish safe to eat
	☑ Healthy wildlife
	☐ Radioactivity at pre-Chernobyl levels
Biodiversity	☐ Natural landscapes and seascapes
	\square Thriving and balanced communities of plants and animals
	∀ Viable populations of species
Maritime	☐ No illegal pollution
activities	\square Safe maritime traffic without accidental pollution
	☐ Efficient response capability
	\square No introductions of alien species from ships
	☐ Minimum air pollution from ships
	☐ Zero discharges from offshore platforms
In relation to the	monitoring GES criteria addressed, indicate when sufficient monitoring was in place or by when ge will be in place (Coverage_GEScriteria)
□ Adequate more □ Adequate more	nitoring was in place in 2014
☐ Adequate mor	nitoring was in place by 2018
☐ Adequate mor	nitoring is in place by July 2020
☐ Adequate mor	nitoring will be in place by 2024
☐ Monitoring is a	not being put in place for this descriptor due to a low risk
☐ Monitoring for	this descriptor is not relevant
•	e implementation gaps and plans to complete the establishment and implementation of onitoring strategy (Gaps_Plans):
are also available conducted nation and therefore po Common Noise F Contracting Parti	of impulsive noise started for most HELCOM countries in 2015, but some data for 2008-2014 of from a few countries. Monitoring is regionally coordinated through ICES and reporting is nally. The monitoring is based on the active reporting on activities producing impulsive noise rovides an estimate of the minimum number of impulsive noise events. Although the Registry at ICES has been operational since 2016 there are still data missing from almost all es. Activities, whose sole purpose is defence or national security, are exempt from the cort, although countries are encouraged to report on these activities on a voluntarily basis.

A major reason for gaps in reporting, however, is likely that national procedures and obligations to register

Other activities may be conducted in some coutries without the need for a permit, limiting the possibilities

of agencies to aquire information for reporting.

and report impulsive sound events are not fully implemented. There is no time limit for submission of data from past reporting periods, which means that missing data can be added at a later point, if and when it becomes available.

By now a total of 3362 impulsive sound events for the years 2008 to 2018 have been reported to the regional registry by Contracting Parties covering all basins of the Baltic Sea. The source for the majority of the reported events are sonars and deterrents followed by explosions. Fewer events are related to pile driving. No airgun operations have been reported.

c. Monitoring programmes

c.1 Purpose of monitoring

c.1a Assessment purpose in general

The programme supports the assessment of:

Tick the relevant box.

Temporal trends	Spatial distribution	State classification
	\boxtimes	

The **programme** supports the assessment of: (MonitoringPurpose).

Note that the answer to this question will be decisive for whether to answer upcoming questions e.g. upcoming questions on pressures should only be answered if the monitoring is defined as supporting the assessment of pressures.

Tick the relevant boxes.

	Effectiveness of measures
	f this is selected fill in the ollowing questions:
c.1b c.1c, d c.1c, d c.1c, d c.1c, d	c.1c, d

Give any other monitoring purpose e.g. if the programmes include supporting parameters for other monitoring programmes

¹ Sea-based 'Pressures at source' refers to monitoring pressures from sea-based activities where the monitoring is
directly at the activity rather than at a distance from or time period after it is generated by the activity (e.g. D1 incidenta
by-catch when fishing, D2 ballast water discharges, D6 use of bottom fishing gear, D8 contaminant discharges and
pollution events from a vessel or pipeline, D11 impulsive sound events from a vessel or platform).

For questions 1b-1d, select when applicable for the sub-programme, the link from the Reporting on the 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020) (Features) to:

- Ecosystem components (relevant for monitoring and assessment for Article 8(1a) for D1C2-C5, D3, D4, D6C3-C5, D7C2)
- Pressures and impacts in the marine environment (relevant for monitoring and assessment for Article 8(1b) for D1C1, D2, D5, D6C1-C2, D7C1, D8, D9, D10, D11)
- Pressure inputs to the marine environment (relevant for monitoring and assessment for Article 10)
- Uses and human activities (relevant for monitoring and assessment for Article 8(1c) and 13)

c.1b • Ecosystem components (Features)

Choose only the most relevant option(s). Tick one or more boxes below.

Theme	Sub-theme	Label feature
Species	☐ Birds	☐ Grazing birds
		☐ Wading birds
		☐ Surface-feeding birds
		☐ Pelagic-feeding birds
		☐ Benthic-feeding birds
	☐ Mammals	\square Small toothed cetaceans
		\square Deep-diving toothed cetaceans
		☐ Baleen whales
		☐ Seals
	☐ Reptiles	☐ Turtles
	☐ Fish	☐ Coastal fish
		☐ Pelagic shelf fish
		☐ Demersal shelf fish
		☐ Deep-sea fish
		\square Commercially exploited fish and shellfish
	☐ Cephalopods	\square Coastal/shelf cephalopods
		☐ Deep-sea cephalopods
Habitats	☐ Benthic habitats	☐ Benthic broad habitats
		\square Other benthic habitats
	☐ Pelagic habitats	☐ Pelagic broad habitats
		\square Other pelagic habitats
Ecosystems	☐ Physical and hydrological o	characteristics

	☐ Chemical characteristics		
	☐ Ecosystems, including	☐ Coastal ecosystems	
	food webs	☐ Shelf ecosystems	
		☐ Oceanic/deep-sea ecosystems	
	Pressures and impacts in the most relevant option(s). Tick	he marine environment (Features) k one or more boxes below.	
Theme	Label: Feature		
Biological	☐ Newly introduced non-indigenous species		
	☐ Established non-indige	nous species	
	\square Species affected by inci	idental by-catch	
Physical and	☐ Hydrographical change	S	
hydrological	☐ Physical disturbance to	seabed	
	\square Physical loss of the seal	bed	
Substances,	☐ Eutrophication		
litter and energy	☐ Contaminants - non UPBT substances		
	☐ Contaminants - UPBT substances		
	☐ Contaminants – in seaf	ood	
	☐ Adverse effects on spec	cies or habitats	
	☐ Acute pollution events		
	☐ Litter in the environment		
	\square Impulsive sound in water		
	☐ Continuous low freque	ncy sound	
c.1d •	Pressure inputs to the mari	ine environment (Features)	
Theme	Label: Feature		
Biological	☐ Input or spread of non-	-indigenous species	
	☐ Input of microbial path	ogens	
	\Box Input of genetically mo	dified species and translocation of native species	
	☐ Loss of, or change to, n animal or plant species	atural biological communities due to cultivation of	
	☐ Disturbance of species presence	(e.g. where they breed, rest and feed) due to human	
	\square Extraction of, or mortal recreational fishing and ot	lity/injury to, wild species (by commercial and ther activities)	

Substances,	\Box Input of nutrients — diffuse sources, point sources, atmospheric deposition
litter and energy	☐ Input of organic matter — diffuse sources and point sources
chergy	☐ Input of other substances (e.g. synthetic substances, non-synthetic substances,
	radionuclides) — diffuse sources, point sources, atmospheric deposition, acute
	events
	☐ Input of litter (solid waste matter, including micro-sized litter)
	☑ Input of anthropogenic sound (impulsive, continuous)
	☐ Input of other forms of energy (including electromagnetic fields, light and heat)
	☐ Input of water — point sources (e.g. brine)

c.1e • Uses and human activities (Features)

Choose only the most relevant option(s). Tick one or more boxes below.

Physical restructuring of rivers, coastline or seabed (water management) Canalisation and other watercourse modifications Coastal defence and flood protection Offshore structures (other than for oil/gas/renewables) Restructuring of seabed morphology, including dredging and depositing of materials Extraction of Extraction of minerals (rock, metal ores, gravel, sand, shell)
rivers, coastline or seabed (water management) Coastal defence and flood protection Offshore structures (other than for oil/gas/renewables) Restructuring of seabed morphology, including dredging and depositing of materials Extraction of Extraction of minerals (rock, metal ores, gravel, sand, shell)
management) □ Coastal defence and flood protection □ Offshore structures (other than for oil/gas/renewables) □ Restructuring of seabed morphology, including dredging and depositing of materials Extraction of □ Extraction of minerals (rock, metal ores, gravel, sand, shell)
☐ Offshore structures (other than for oil/gas/renewables) ☐ Restructuring of seabed morphology, including dredging and depositing of materials Extraction of ☐ Extraction of minerals (rock, metal ores, gravel, sand, shell)
materials Extraction of □ Extraction of minerals (rock, metal ores, gravel, sand, shell)
non living
non-living resources Extraction of oil and gas, including infrastructure
☐ Extraction of salt
☐ Extraction of water
Production of energy
☐ Non-renewable energy generation
☐ Transmission of electricity and communications (cables)
Extraction of
living resources Fish and shellfish processing
☐ Marine plant harvesting
☐ Hunting and collecting for other purposes
Cultivation of
living resources Aquaculture — freshwater
☐ Agriculture

1				
	☐ Forestry			
Transport	☐ Transport infrastructure			
	☐ Transport — shipping			
	☐ Transport — air			
	☐ Transport — land			
Urban and	☐ Urban uses			
industrial uses	☐ Industrial uses			
	☐ Waste treatment and disposal			
Tourism and	☐ Tourism and leisure infrastructure			
leisure	☐ Tourism and leisure activities			
Security/defence	☐ Military operations (subject to Article 2(2))			
Education and research	☐ Research, survey and educational activities			
one or more relevan ☐ Bathing Water Di				
_	es Policy and Data Collection Framework			
	□ Habitats Directive			
⊠Birds Directive				
□ Nitrates Directive				
□Urban Waste Wa	ter Treatment Directive			
☐Water Framewor	k Directive			
⊠OSPAR Convention	on			
☐ Trilateral Wadden Sea Convention				
□Other, Specify:				
c.3 Implementation of Regional Cooperation (RegionalCooperation_implementation) Indicate the level of implementation by selecting one of the following:				
☐Agreed data colle	ection methods			
☐Common monito	☐ Common monitoring strategy (spatial and temporal design of programme)			
oxtimesCoordinated data collection (delivered separately by each country)				

\Box Joint data collection (multinational delivery using same platform and/or algorithms)

c.4 Monitoring concepts

Monitoring concepts table²:

Current means of coordination	Features or elements Elements (Features) (Features_e num)	Parameter Parameters (Parameter) (ParametersOth er)	Method MonitoringMethod (Monitoring Method) MonitoringMethodOther)	QA/QC (Free text)	Frequency ³ MonitoringFre	Spatial resolution (density) of sampling (ProgrammeDesc ription)	Link to HELCOM core indicators ⁴ (RelatedIndicator) (RelatedIndicator_n ame	Spatial scope (SpatialScope)	Monitoring started (year) (TemporalScope)	CPs monitoring ⁵ (CountryCode_Enum)
EN-Noise ICES	Impulsive noise	Duration Distribution in time and place of impulsive noise events	National methodology based on guidance specifications from EU TG Noise: https://ec.europa.eu/jrc/en/publication/eurscientific-and-technical-research-reports/monitoring-guidance-underwater-noise-european-seas-part-ii-monitoring-guidance	https://ec.euro pa.eu/jrc/en/p ublication/eur- scientific-and- technical- research- reports/monito ring-guidance- underwater- noise- european-seas- part-ii- monitoring- guidance	Other (specify) Noise events throughout the year are collected and reported annually	All publicly available data from noise events in the Baltic Sea are collected		The whole Baltic Sea	DK: 2014 DE: 2013 EE: 2012 FI: 2008 LT: 2013 PL: 2011 SE: 2015	DK, DE, EE, FI, LT, PL, SE

² Needed codelists can be found on 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020).

³ The option "Different for each country - see MORE overview" refers to the <u>overview</u> carried out in 2013

 $^{^{\}rm 4}$ Give the name of HELCOM core indicators that are based on the monitoring parameter.

⁵ Provide information on the Contracting Partie(s) that are monitoring the parameter.

PARAMETER

Element/Parameter pair

Impulsive noise: Distribution in time and place of loud low- and midfrequency anthropogenic impulsive sounds

METHOD (Monitoring Details)

Element/parameter

The registry includes impulsive sound events being a proposed definition of "impulsive sound" that the effective time duration of individual sound pulses is less than ten seconds (Dekeling et al., 2014b). Examples of events generating impulsive sounds would be explosions, airguns, pile-driving and certain sonars.

Data on the following noise events are currently to be collected:

• Explosions: mTNTeq > 8 g

• Airgun arrays: SLz-p > 209 dB re 1 μPa m

Impact pile driver: hammer energy > 0 kJ

• Sonar or acoustic deterrents: SL > 176-200 dB re 1 μPa m

• Generic explicitly impulsive source ESL > 186 dB re 1 μPa² m² s

The following data for each event are mandatory:

- Position data, either as geographic position (lat/long), ICES statistical sub-rectangle, or German naval polygon),
- Date of operation (start and end date for multi-day continuous activities),
- Type of activity (cf. list above),
- Source level, classified on a scale from very low to very high (cf. (Dekeling et al., 2014b). For some activities a proxy for source level is applicable:

Explosions: TNT equivalent charge weight

Impact pile driver: hammer energy (kJ)

Was a noise abatement system (mitigation) used (yes or no)

Additional information can, and should be, added to the degree possible. For the five different categories this includes the following

Explosions:

Water depth and depth of charge

Airgun arrays:

Starttime of airgun use, or if moving source, time the ship entered

- polygon.
- Endtime of airgun use, or if moving source, time the ship left polygon.
- Depth of airgun array
- Tow speed
- Pulse repetition rate

Impact pile drivers:

- Type of noise abatement system used
- Type of Impact Hammer
- Maximum hammer energy delivered during pile driving
- Start and end time of pile driving, alternatively the duration of the piling
- Measured single pulse sound exposure level (SEL)
- Measured single pulse peak pressure
- Distance where measurements were obtained
- Water depth
- Total number of strikes delived to pile or average stroke rate.

Sonars and acoustic deterrents:

- Frequency of pulse
- Duration of pulse
- Repetition rate of pulses
- Total duration of transmissions
- Tow speed, if moving source.

QA/QC

Element/Parameter pair

National responsibility. ICES checks that data conforms to database formats and vocabularies (data integrity), but does not assess the validity of individual data points.

FREQUENCY

Frequency

Element/Parameter pair

All impulsive noise events during the previous year are collected and

reported to ICES in October, annually. Retrospect addition of data from previous periods is possible and should be done whenever data becomes available.

SPATIAL SCOPE

Spatial Scope

Element/Parameter pair

Monitoring is performed by HELCOM countries covering all areas of the Baltic Sea.

SPATIAL RESOLUTION (DENSITY) OF SAMPLING

Spatial resolution

Element/Parameter pair

All available data on impulsive noise events are being collected.

Spatial resolution differs depending on the source. Stationary sources should always be given as positions (lat/lon), unless national security concerns prevent this. In this case, the polygon containing the source should be given.

Moving sources may more conveniently be reported by polygon(s). The preferred grid is ICES subrectangles (1/3 degree longitude x 1/6 degree latitude), but the German naval polygons are permitted as well.

Provide considerations for the scale of aggregation of data for an indicator-based assessment	Tick
one or more relevant hoxes below:	

☐ HELCOM assessment unit Level 4: Subbasins with coastal WFD division
☐ HELCOM assessment unit Level 3: Subbasins with coastal and offshore division
☐ HELCOM assessment unit Level 2: Subbasin
⊠HELCOM assessment unit Level 1: Baltic Sea
☐MSFD Region
□EU
\square Other (specify)
□Unknown

c.5 Monitoring and assessment requirements

Monitoring requirements:

Registry of impulsive sounds

One of the first tasks listed in the guidance given by EU TG-Noise in 2014 in the framework of the implementation of EU MSFD is the establishment of regional registries for underwater noise events. At first the focus has been set on impulsive noise events. HELCOM started early with the development of the relevant indicator and the establishment of a common registry for the contracting parties and decided to assign ICES with the implementation (HELCOM, 2016). The regional noise registry was developed by ICES and has been operational since 2016.

The guidance given by EU TG-Noise (Dekeling et al. 2014) sets the framework of the registry and defines the content. Technical instructions on format and delivery modalities are given by ICES. Since 2016 many of the contracting parties have been able to deliver data to the regional registry. However, there are still gaps in data deliveries from almost all contracting parties due to lack of registration procedures or technical and administrative problems with the national registry.

Even if the current status of deliveries at the regional registry at ICES might be incomplete the data made available are most useful for the further development of regional work on impulsive noise and assessment of possible impacts to marine life.

At present the main task for each contracting party should be to establish obligations to register impulsive noise events for all sources mentioned in the Guidance and to develop procedures for regular delivery to the regional registry.

An important task for all contracting parties should be to develop common quality criteria for registry data. Quality checks based on common criteria would assure that data are comparable and would thus enhance the power of future assessments.

Furthermore, a common methodology and criteria for assessment purposes should be developed taking into account the knowledge gathered up to now.

Once the national and regional registries are fully operating and can support the regional assessment of impulsive events it should be considered if more noise sources should be included in the registry in the future.

Adequacy for assessment of GES:

Monitoring should provide adequate data and information to enable the periodic assessment of environmental status, and distance from and progress towards GES as required by MSFD under Article 9 and Article 11.

	Yes	No
Adequate data?		
Established methods for assessment?		
Adequate understanding of GES?		
Adequate capacity to perform assessments?		

Assessment of natural variability				
Not relevant				
	oviders and access ase the data can be made available? Tick the relevant boxes below:			
☐ HELCOM COMBINE	☐ HELCOM PLC ☐ HELCOM MORS			
⊠Other:	HELCOM regional impulsive noise database hosted by ICES			
If the previous ans the HELCOM Secre	wer is "Other" please fill in the next questions (In case the answer is a HELCOM database, stariat will do it)			
Data type Tick th	ne relevant boxes below:			
\square Unprocessed/ra	w Data			
⊠Processed Data	sets			
⊠ Data Products				
\square Modelled data				
Data managemen	t: General description of data management (DataManagement, Free text)			
the agency respo	nt on a regional basis is on the responsibility of ICES. Contracting parties should nominate insible for the national registry to serve as contact point to ICES. The data are collected innually transmitted by each country to ICES into the common regional impulsive noise			
What method/me	chanism will be used to make the data available? Tick the relevant boxes below and DataAccess):			
⊠ Providing UF noise.aspx	RL to view data: http://www.ices.dk/marine-data/data-portals/Pages/underwater-			
\square Providing URL t	o download data:			
☐ Provide location	n of data in national data centre: Click here to enter text.			
	ion of data in international data centre (e.g. RSC, ICES, EEA, EMODnet): ICES, lk/marine-data/data-portals/Pages/underwater-noise.aspx			
When will the dat	a first become available? (DataPublicationDate)			
	eporting, or even a past date if desired (MM/YYYY):			

10/2016					
How frequently are the	How frequently are the data expected to be updated thereafter? Tick the relevant box below:				
☐ Every 6 years	□Weekly				
☐Every 3 years	□Daily				
☐ Every 2 years	□Hourly				
⊠Yearly	☐ Continually				
\Box 6-monthly	□One-off				
\square 3-monthly	☐ As needed				
\square Monthly	☐Other (specify)				
\square 2-weekly	□Unknown				
List providing contact p	points in the Contracting Parties				
List providing contact p	omes in the contracting raities				
Denmark: Environmen	ntal Protection Agency, mst@mst.dk				
Germany: Federal Mar	ritime and Hydrographic Agency (BSH), marinears@bsh.de				
Sweden: Swedish Ager	ncy for Marine and Water Managemen (SwAM), agnes.ytreberg@havochvatten.se				
Estonia: Tallinn Techni	cal University (Department of Civil Engineering and Architecture:				
aleksander.klauson@t	altech.ee)				
Has the data been used	d or is it planned to be used in HELCOM assessments? Tick the relevant box below:				
nas tile data beeli uset	TOT IS IT Planned to be used in HELCOWI assessments? Thek the relevant box below.				
⊠Yes □No					
Select if data is used in below:	the following Baltic Sea Environment Fact Sheets (BSEF) Tick the relevant boxes				
Biodiversity					
\square Abundance and distri	ibution of marenzelleria species				
☐ Abundance and distribution of Round goby					
☐ Abundance and distribution of the Zebra mussel					
☐ Biopollution level index					
☐ Observed non-indigenous and cryptogenic species in the Baltic Sea					
☐ Population developm	☐ Population development of Great Cormorant				
☐ Population development of Sandwich Tern					
☐ Population development of Southern Dunlin					
☐ Population Development of White-tailed Sea Eagle					

☐ Temporal development of Baltic coastal fish communities and key species
Eutrophication
☐ Bacterioplankton growth
□Chlorophyll-a concentrations, temporal variations and regional differences from satellite remote sensing
☐ Cyanobacteria biomass
☐ Cyanobacterial blooms in the Baltic Sea
☐ Cyanobacteria bloom index
\square Impacts of invasive phytoplankton species on the Baltic Sea ecosystem in 1980-2008
\square Nitrogen atmospheric deposition to the Baltic Sea
□Nitrogen emissions to the air in the Baltic Sea area
☐ Phytoplankton biomass and species succession
\square Shifts in the Baltic Sea summer phytoplankton communities in 1992-2006
\square Spatial distribution of the winter nutrient pool
☐Unusual phytoplankton event
Hazardous substances
☐ Atmospheric deposition of heavy metals on the Baltic Sea
☐ Atmospheric deposition of PCDD/Fs on the Baltic Sea
☐ Atmospheric emissions of heavy metals in the Baltic Sea region
☐ Atmospheric emissions of PCDD/Fs in the Baltic Sea region
☐ Cesium-137 in Baltic Sea sediments
\square Temporal trends in contaminants in Herring in the Baltic Sea in the period 1980-2010
☐ Emissions from Baltic Sea shipping
□ Illegal discharges of oil in the Baltic Sea
☐ Liquid discharges of Cs-137, Sr-90 and Co-60 into the Baltic Sea
☐ Trace metal concentrations and trends in Baltic surface and deep waters
Hydrography
☐ Development of Sea Surface Temperature in the Baltic Sea
☐ Hydrography and Oxygen in the Deep Basins
□lce season
□Total and regional runoff to the Baltic Sea
\square Water Exchange between the Baltic Sea and the North Sea, and conditions in the Deep Basins

				_
□Wave	climate	in the	Baltic	Sea

b.5 MSFD Criteria (GES criteria)Choose only the most relevant option(s). Tick one or more boxes below.

Descriptor 1	□ D1C1 – Primary:
	The mortality rate per species from incidental by-catch is below levels which threaten the species, such that its long- term viability is ensured.
	Member States shall establish the threshold values for the mortality rate from incidental by-catch per species, through regional or subregional cooperation.
	□ D1C2 – Primary:
	The population abundance of the species is not adversely affected due to anthropogenic pressures, such that its long-term viability is ensured.
	Member States shall establish threshold values for each species through regional or subregional cooperation, taking account of natural variation in population size and the mortality rates derived from D1C1, D8C4 and D10C4 and other relevant pressures. For species covered by Directive 92/43/EEC, these values shall be consistent with the Favourable Reference Population values established by the relevant Member States under Directive 92/43/EEC.
	☐ D1C3 — Primary for commercially- exploited fish and cephalopods and secondary for other species:
	The population demographic characteristics (e.g. body size or age class structure, sex ratio, fecundity, and survival rates) of the species are indicative of a healthy population which is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for specified characteristics of each species through regional or subregional cooperation, taking account of adverse effects on their health derived from D8C2, D8C4 and other relevant pressures.
	☐ D1C4 – Primary for species covered by Annexes II, IV or V to Directive 92/43/EEC and secondary for other species:
	The species distributional range and, where relevant, pattern is in line with prevailing physiographic, geographic and climatic conditions.
	Member States shall establish threshold values for each species through regional or subregional cooperation. For species covered by Directive 92/43/EEC, these shall be consistent with the Favourable Reference Range values established by the relevant Member States under Directive 92/43/EEC.
	☐ D1C5 — Primary for species covered by Annexes II, IV and V to Directive 92/43/EEC and secondary for other species:
	The habitat for the species has the necessary extent and condition to support the different stages in the life history of the species.
	□ D1C6 – Primary
	The condition of the habitat type, including its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure

	of species), is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5 and 8, through regional or subregional cooperation.
Descriptor 2	□ D2C1 – Primary:
	The number of non-indigenous species which are newly introduced via human activity into the wild, per assessment period (6 years), measured from the reference year as reported for the initial assessment under Article 8(1) of Directive 2008/56/EC, is minimised and where possible reduced to zero.
	Member States shall establish the threshold value for the number of new introductions of non-indigenous species, through regional or subregional cooperation.
	□ D2C2 — Secondary:
	Abundance and spatial distribution of established non-indigenous species, particularly of invasive species, contributing significantly to adverse effects on particular species groups or broad habitat types.
	□ D2C3 — Secondary:
	Proportion of the species group or spatial extent of the broad habitat type which is adversely altered due to non-indigenous species, particularly invasive non-indigenous species.
	Member States shall establish the threshold values for the adverse alteration to species groups and broad habitat types due to non-indigenous species, through regional or subregional cooperation.
Descriptor 3	□ D3C1 — Primary:
	The Fishing mortality rate of populations of commercially-exploited species is at or below levels which can produce the maximum sustainable yield (MSY). Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	☐ D3C2 — Primary:
	The Spawning Stock Biomass of populations of commercially-exploited species are above biomass levels capable of producing maximum sustainable yield. Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	□ D3C3 — Primary:
	The age and size distribution of individuals in the populations of commercially-exploited species is indicative of a healthy population. This shall include a high proportion of old/large individuals and limited adverse effects of exploitation on genetic diversity.
	Member States shall establish threshold values through regional or subregional cooperation for each population of species in accordance with scientific advice obtained pursuant to Article 26 of Regulation (EU) No 1380/2013.
Descriptor 4	□ D4C1 — Primary:
	The diversity (species composition and their relative abundance) of the trophic guild is

	not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C2 — Primary:
	The balance of total abundance between the trophic guilds is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C3 — Secondary:
	The size distribution of individuals across the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	\square D4C3 — Secondary (to be used in support of criterion D4C2, where necessary):
	Productivity of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
Descriptor 5	□ D5C1 — Primary:
	Nutrient concentrations are not at levels that indicate adverse eutrophication effects.
	The threshold values are as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation
	□ D5C2 — Primary:
	Chlorophyll a concentrations are not at levels that indicate adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(c) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(d) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C3 — Secondary:
	The number, spatial extent and duration of harmful algal bloom events are not at levels that indicate adverse effects of nutrient enrichment.
	□ D5C4 — Secondary:
	The photic limit (transparency) of the water column is not reduced, due to increases in suspended algae, to a level that indicates adverse effects of nutrient enrichment.

	The threshold values are as follows:
	(e) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(f) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	\square D5C5 — Primary (may be substituted by D5C8):
	The concentration of dissolved oxygen is not reduced, due to nutrient enrichment, to levels that indicate adverse effects on benthic habitats (including on associated biota and mobile species) or other eutrophication effects.
	The threshold values are as follows:
	(g) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(h) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C6 — Secondary:
	The abundance of opportunistic macroalgae is not at levels that indicate adverse effects of nutrient enrichment.
	The threshold values are as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C7 — Secondary:
	The species composition and relative abundance or depth distribution of macrophyte communities achieve values that indicate there is no adverse effect due to nutrient enrichment including via a decrease in water transparency, as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	☐ D5C8 — Secondary: (except when used as a substitute for D5C5):
	The species composition and relative abundance of macrofaunal communities, achieve values that indicate that there is no adverse effect due to nutrient and organic enrichment, as follows:
	(a) in coastal waters, the values for benthic biological quality elements set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
Descriptor 6	□ D6C1 – Primary:

	Spatial extent and distribution of physical loss (permanent change) of the natural seabed.
	□ D6C2 – Primary:
	Spatial extent and distribution of physical disturbance pressures on the seabed.
	□ D6C3 – Primary:
	Spatial extent of each habitat type which is adversely affected, through change in its biotic and abiotic structure and its functions (e.g. through changes in species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), by physical disturbance.
	Member States shall establish threshold values for the adverse effects of physical disturbance, through regional or subregional cooperation.
	☐ D6C4 – Primary:
	The extent of loss of the habitat type, resulting from anthropogenic pressures, does not exceed a specified proportion of the natural extent of the habitat type in the assessment area.
	Member States shall establish the maximum allowable extent of habitat loss as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities.
	□ D6C5 – Primary:
	The extent of adverse effects from anthropogenic pressures on the condition of the habitat type, including alteration to its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), does not exceed a specified proportion of the natural extent of the habitat type in the assessment area.
	Member States shall establish threshold values for adverse effects on the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5, 6, 7 and 8, through cooperation at Union level, taking into account regional or subregional specificities. Member States shall establish the maximum allowable extent of those adverse effects as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities.
Descriptor 7	□ D7C1 – Secondary:
	Spatial extent and distribution of permanent alteration of hydrographical conditions (e.g. changes in wave action, currents, salinity, temperature) to the seabed and water column, associated in particular with physical loss(1) of the natural seabed.
	□ D7C2 – Secondary:
	Spatial extent of each benthic habitat type adversely affected (physical and hydrographical characteristics and associated biological communities) due to permanent alteration of hydrographical conditions.
Descriptor 8	□ D8C1 – Primary:

Within coastal and territorial waters, the concentrations of contaminants do not exceed the following threshold values: (a) for contaminants set out under point 1(a) of criteria elements, the values set in accordance with Directive 2000/60/EC; (b) when contaminants under point (a) are measured in a matrix for which no value is set under Directive 2000/60/EC, the concentration of those contaminants in that matrix established by Member States through regional or subregional cooperation; (c) for additional contaminants selected under point 1(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation, considering their application within and beyond coastal and territorial waters. Beyond territorial waters, the concentrations of contaminants do not exceed the following threshold values: (a) for contaminants selected under point 2(a) of criteria elements, the values as applicable within coastal and territorial waters; (b) for contaminants selected under point 2(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation. ☐ D8C2 – Secondary: The health of species and the condition of habitats (such as their species composition and relative abundance at locations of chronic pollution) are not adversely affected due to contaminants including cumulative and synergetic effects. Member States shall establish those adverse effects and their threshold values through regional or subregional cooperation. \square D8C3 – Primary: The spatial extent and duration of significant acute pollution events are minimised. \square D8C4 – Secondary (to be used when a significant acute pollution event has occurred): The adverse effects of significant acute pollution events on the health of species and on the condition of habitats (such as their species composition and relative abundance) are minimised and, where possible, eliminated. \square D9C1 – Primary: Descriptor 9 The level of contaminants in edible tissues (muscle, liver, roe, flesh or other soft parts, as appropriate) of seafood (including fish, crustaceans, molluscs, echinoderms, seaweed and other marine plants) caught or harvested in the wild (excluding fin-fish from mariculture) does not exceed: (a) for contaminants listed in Regulation (EC) No 1881/2006, the maximum levels laid down in that Regulation, which are the threshold values for the purposes of this Decision; (b) for additional contaminants, not listed in Regulation (EC) No 1881/2006,

	threshold values, which Member States shall establish through regional or subregional cooperation.
Descriptor 10	□ D10C1 – Primary:
	The composition, amount and spatial distribution of litter on the coastline, in the surface layer of the water column, and on the seabed, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C2 — Primary:
	The composition, amount and spatial distribution of micro-litter on the coastline, in the surface layer of the water column, and in seabed sediment, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C3 — Secondary:
	The amount of litter and micro-litter ingested by marine animals is at a level that does not adversely affect the health of the species concerned. Member States shall establish threshold values for these levels through regional or subregional cooperation.
	□ D10C4 — Secondary:
	The number of individuals of each species which are adversely affected due to litter, such as by entanglement, other types of injury or mortality, or health effects. Member States shall establish threshold values for the adverse effects of litter, through regional or subregional cooperation.
Descriptor 11	☑ D11C1 – Primary:
	The spatial distribution, temporal extent, and levels of anthropogenic impulsive sound sources do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D11C2 – Primary:
	The spatial distribution, temporal extent and levels of anthropogenic continuous low-frequency sound do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.

d. References

Make a list of cited references and literature for further supportive information.

Dekeling, R.P.A., Tasker, M.L., Van der Graaf, A.J., Ainslie, M.A, Andersson, M.H., André, M., Borsani, J.F., Brensing, K., Castellote, M., Cronin, D., Dalen, J., Folegot, T., Leaper, R., Pajala, J., Redman, P., Robinson, S.P., Sigray, P.,

Sutton, G., Thomsen, F., Werner, S., Wittekind, D., Young, J.V., Monitoring Guidance for Underwater Noise in European Seas, Part II: Monitoring Guidance Specifications, JRC Scientific and Policy Report EUR 26555 EN, Publications Office of the European Union, Luxembourg, 2014, doi: 10.2788/27158.

Dekeling, R.P.A., Tasker, M.L., Ainslie, M.A., Andersson, M., André, M., Castellote, M., Borsani, J.F., Dalen, J., Folegot, T., Leaper, R., Liebschner, A., Pajala, J., Robinson, S.P., Sigray, P., Sutton, G., Thomsen, F., Van der Graaf, A.J., Werner, S., Wittekind, D. and Young, J.V. 2014b. Monitoring Guidance for Underwater Noise in European Seas - 2nd Report of the Technical Subgroup on Underwater noise (TSG Noise). Part II Monitoring Guidance Specifications. Interim Guidance Report. 26pp.

HELCOM, 2016. Distribution in time and place of loud low- and mid-frequency anthropogenic impulsive sounds. HELCOM candidate core indicator report.

Online. ICES Data Portals – Underwater Noise https://www.ices.dk/marine-data/data-portals/Pages/underwater-noise.aspx