HELCOM Monitoring Programme topic

Seabed habitat distribution and extent

Programme:

Seabed habitat physical characteristics

Contents

a.	Metadata on monitoring strategies and monitoring programmes	2
	a.1 Responsible HELCOM subsidiary body	2
	a.2 Regional Cooperation (RegionalCooperation)	3
b.	Monitoring strategies	3
	b.1 Descriptor	3
	b.2 BSAP segments	4
	b.3 Monitoring strategy description	4
	b.4 BSAP Ecological objectives	4
	b.5 Gaps in monitoring	5
c.	Monitoring programmes	5
	c.1 Purpose of monitoring	5
	c.2 Other legislation	9
	c.3 Implementation of Regional Cooperation (RegionalCooperation_implementation)	10
	c.4 Monitoring concepts	11
	c.5 Monitoring and assessment requirements	13
	c.6 Data providers and access	13
	c.7 MSFD Criteria (GES criteria)	16
٨	Poforances	22

a. Metadata on monitoring strategies and monitoring programmes

a.1 Responsible HELCOM subsidiary body

Please indicate the relevant expert group/network if available, otherwise the responsible HELCOM Working Group.

Permament Groups					
Gear – Group on the Implementation of the Ecosystem Approach					
Maritime – Maritime Working Group					
Pressure – Working Group on Reduction of Pressures from the Baltic Sea Catchment Area					
Response – Response Working Group					
State and Conservation – Working Group on the State of the Environmental and Nature Conservation					
Time-limited Groups					
Agri – Group on Sustainable Agricultural Practices					
Fish – Group on Ecosystem-based Sustainable Fisheries					
HELCOM-VASAB MSP WG - Joint HELCOM-VASAB Maritime Spatial Planning Working Group					
Expert Groups					
Expert Groups AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response EWG SHORE – Expert Working Group on Response on the Shore					
AIS EWG – Expert Working Group for Mutual Exchange and Deliveries of AIS data EN Hazardous Substances – Expert Network on hazardous substances EN Marine Litter – Expert Network on Marine Litter EN Noise – Expert Network on Underwater Noise ESA – Expert Network on Economic and Social Analyses EWG OWR – Expert Working Group on Oiled Wildlife Response EWG SHORE – Expert Working Group on Response on the Shore Green Technology and Alternative Fuels Platform for Shipping HELCOM/OSPAR TG BALLAST – Joint HELCOM/OSPAR Task Group on Ballast					

	IN-EUTROPHICATION - Intersessional Network on Eutrophication						
	IWGAS – Informal Working Group on Aerial Surveillance						
	JWG Bird – HELCOM-OSPAR-ICES Joint Working Group on Seabirds						
	MORS EG – Expert group on monitoring of radioactive substances in the Baltic Sea						
	PRF Cooperation Platform – Cooperation Platform on Port Reception Facilities in the Baltic Sea						
	☐ SAFE NAV – Group of Experts on Safety of Navigation						
	SUBMERGED – Expert Group on Environmental Risks of Hazardous Submerged Objects						
The monitoring of Fully cool □ Partly cool □ Coordina	a.2 Regional Cooperation (RegionalCooperation) The monitoring of this programme is: □ Fully coordinated □ Partly coordinated. Indicate missing component(s): □ Coordinated monitoring is under development. Indicate by which group/project and by when a recommendation on coordinated monitoring can be expected.						
b. Monitoring strategies b.1 Descriptor							
	ptor						
The programme	ptor						
The programme boxes.	ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant						
The programme boxes.	ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant Biodiversity						
The programme boxes. □ D1 □ D2	ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant Biodiversity Non-indigenous Species						
The programme boxes. □ D1 □ D2 □ D3	ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant Biodiversity Non-indigenous Species Commercial fish and shellfish						
The programme boxes. □ D1 □ D2 □ D3 □ D4	ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant Biodiversity Non-indigenous Species Commercial fish and shellfish Food webs						
The programme boxes. D1 D2 D3 D4 D5	ptor supports the following obligatory MSFD Monitoring Strategies. Tick one or more relevant Biodiversity Non-indigenous Species Commercial fish and shellfish Food webs Eutrophication						

□ D9	Contaminants in seafood
□ D10	Marine litter
□ D11	Energy including underwater noise
b.2 BSAP se The sub-programm	egments me serves the following BSAP segments. Tick one or more relevant boxes.
□Eutrophication	า
☐ Hazardous sub	ostances
⊠Biodiversity	
·	
☐Maritime activ	rities
l. O Mandra	
b.3 Monito	ring strategy description
_	tegy : Monitoring is to be carried out to fulfill assessment requirements of ical objectives that are specified through HELCOM core indicators. The requirements an include number of stations, the sampling frequency and replication.
	cological objectives nost relevant option(s). Tick one or more boxes below.
Eutrophication	☐ Concentrations of nutrients close to natural levels
	☐ Clear water
	☐ Natural level of algal blooms
	☑ Natural distribution and occurrence of plants and animals
	☐ Natural oxygen levels
Hazardous	\square Concentrations of hazardous substances close to natural levels
substances	\square All fish safe to eat
	☐ Healthy wildlife
	☐ Radioactivity at pre-Chernobyl levels
Biodiversity	☑ Natural landscapes and seascapes
	\square Thriving and balanced communities of plants and animals
	☐ Viable populations of species
Maritime activities	☐ No illegal pollution
300000	☐ Safe maritime traffic without accidental pollution

☐ Mini ☐ Zero b.5 Gaps in monit In relation to the GES criteri sufficient coverage will be in ☐ Adequate monitoring wa	ntroductions of alien species from ships mum air pollution from ships discharges from offshore platforms toring	
☐ Zero b.5 Gaps in monit In relation to the GES criteri sufficient coverage will be in ☐ Adequate monitoring wa	discharges from offshore platforms	
b.5 Gaps in monit In relation to the GES criteri sufficient coverage will be in Adequate monitoring wa		
In relation to the GES criteri sufficient coverage will be in Adequate monitoring wa	toring	
	a addressed, indicate when sufficient mon n place (Coverage_GEScriteria)	nitoring was in place or by when
□ Adaguata manitaring wa	s in place in 2014	
□ Adequate monitoring was	s in place by 2018	
☐ Adequate monitoring is in	n place by July 2020	
oxtimes Adequate monitoring wil	l be in place by 2024	
☐ Monitoring is not being p	out in place for this descriptor due to a low	v risk
☐ Monitoring for this descr	iptor is not relevant	
this descriptor monitoring s	trategy (Gaps_Plans):	
resolution are not adequ maps are expected to imp monitoring for macrofau	riscs are mapped for the entire Baltic Se ate for all areas. As the seabed mapp prove. Benthic salinity and temperature na and macrophytes and is mainly sta	oing methods improve, the baseline re monitoring is done alongside the
resolution are not adequed maps are expected to improper macrofaur guidelines needed. c. Monitoring pose of meaning poses positive poses of meaning positive poses positive po	ate for all areas. As the seabed mapperove. Benthic salinity and temperature and macrophytes and is mainly statement of the seabed mapperove. Benthic salinity and temperature and macrophytes and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and seabed mapperover. Benthic salinity and temperature and seabed mapperover. Benthic salinity and temperature and seabed mapperover. Benthic salinity and seabed mapperover. Benthic salin	oing methods improve, the baseline re monitoring is done alongside the
resolution are not adequed maps are expected to impropriate programme supports the rick the relevant box.	ate for all areas. As the seabed mapperove. Benthic salinity and temperature and macrophytes and is mainly stated as a season of the season of	oing methods improve, the baseline re monitoring is done alongside the ation-based. Common methods and
resolution are not adequent maps are expected to impropriate for macrofauring for macrofauring uidelines needed. c. Monitoring process of medical expectation of the case of medical expectation of the programme supports the case of the programme supports the map of the programme supports th	ate for all areas. As the seabed mapperove. Benthic salinity and temperature and macrophytes and is mainly statement of the seabed mapperove. Benthic salinity and temperature and macrophytes and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperove. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and is mainly statement of the seabed mapperover. Benthic salinity and temperature and seabed mapperover. Benthic salinity and temperature and seabed mapperover. Benthic salinity and temperature and seabed mapperover. Benthic salinity and seabed mapperover. Benthic salin	oing methods improve, the baseline re monitoring is done alongside the

and impacts	environment	environment (land-based, riverine, sea-based¹ and atmospheric sources)		measures
If this is selected fill in the following questions: c.1b	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d	If this is selected fill in the following questions: c.1c, d

Give any other monitoring purpose e.g. if the programmes include supporting parameters for other monitoring programmes

Gives input to ecological status assessments of coastal waters under WFD (hydromorphology).

For questions 1b-1d, select when applicable for the sub-programme, the link from the Reporting on the 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020) (Features) to:

- Ecosystem components (relevant for monitoring and assessment for Article 8(1a) for D1C2-C5, D3, D4, D6C3-C5, D7C2)
- Pressures and impacts in the marine environment (relevant for monitoring and assessment for Article 8(1b) for D1C1, D2, D5, D6C1-C2, D7C1, D8, D9, D10, D11)
- Pressure inputs to the marine environment (relevant for monitoring and assessment for Article 10)
- Uses and human activities (relevant for monitoring and assessment for Article 8(1c) and 13)

c.1b • Ecosystem components (Features)

Choose only the most relevant option(s). Tick one or more boxes below.

Theme	Sub-theme	Label feature
Species	☐ Birds	☐ Grazing birds
		☐ Wading birds
		☐ Surface-feeding birds
		☐ Pelagic-feeding birds
		☐ Benthic-feeding birds
	☐ Mammals	☐ Small toothed cetaceans
		☐ Deep-diving toothed cetaceans
		☐ Baleen whales
		□ Seals

¹ Sea-based 'Pressures at source' refers to monitoring pressures from sea-based activities where the monitoring is directly at the activity rather than at a distance from or time period after it is generated by the activity (e.g. D1 incidental by-catch when fishing, D2 ballast water discharges, D6 use of bottom fishing gear, D8 contaminant discharges and pollution events from a vessel or pipeline, D11 impulsive sound events from a vessel or platform).

	☐ Reptiles	☐ Turtles					
	☐ Fish	☐ Coastal fish					
		☐ Pelagic shelf fish					
		\square Demersal shelf fish					
		☐ Deep-sea fish					
		\square Commercially exploited fish and shellfish					
	☐ Cephalopods	\square Coastal/shelf cephalopods					
		☐ Deep-sea cephalopods					
Habitats	☑ Benthic habitats	\square Benthic broad habitats					
		☐ Other benthic habitats					
	☐ Pelagic habitats	☐ Pelagic broad habitats					
		\square Other pelagic habitats					
Ecosystems	☑ Physical and hydrological characteristics						
	☐ Chemical characteristics						
	\square Ecosystems, including	☐ Coastal ecosystems					
	food webs	☐ Shelf ecosystems					
		☐ Oceanic/deep-sea ecosystems					
	Pressures and impacts in the most relevant option(s). Tick	ne marine environment (Features) k one or more boxes below.					
Theme	Label: Feature						
Biological	☐ Newly introduced non-indigenous species						
	☐ Established non-indigenous species						
	\square Species affected by inc	idental by-catch					
Physical and	☐ Hydrographical change	s					
hydrological	☐ Physical disturbance to seabed						
	☐ Physical loss of the seabed						
Substances,	☐ Eutrophication						
litter and energy	☐ Contaminants - non UPBT substances						
	☐ Contaminants - UPBT substances						
	☐ Contaminants – in seaf	☐ Contaminants – in seafood					
	☐ Adverse effects on spec	cies or habitats					
	☐ Acute pollution events						
	☐ Litter in the environment						

	☐ Impulsive sound in water						
	☐ Continuous low frequency sound						
c.1d • Pr	essure inputs to the marine environment (Features)						
Theme	Label: Feature						
Biological	☐ Input or spread of non-indigenous species						
	☐ Input of microbial pathogens						
	☐ Input of genetically modified species and translocation of native species						
	☐ Loss of, or change to, natural biological communities due to cultivation of animal or plant species						
	☐ Disturbance of species (e.g. where they breed, rest and feed) due to human presence						
	☐ Extraction of, or mortality/injury to, wild species (by commercial and recreational fishing and other activities)						
Substances,	☐ Input of nutrients — diffuse sources, point sources, atmospheric deposition						
litter and energy	\square Input of organic matter — diffuse sources and point sources						
	☐ Input of other substances (e.g. synthetic substances, non-synthetic substances, radionuclides) — diffuse sources, point sources, atmospheric deposition, acute events						
	☐ Input of litter (solid waste matter, including micro-sized litter)						
	☐ Input of anthropogenic sound (impulsive, continuous)						
	\Box Input of other forms of energy (including electromagnetic fields, light and heat)						
	☐ Input of water — point sources (e.g. brine)						
	most relevant option(s). Tick one or more boxes below.						
Theme	Label: Feature						
Physical	☐ Land claim						
restructuring of rivers, coastline	☐ Canalisation and other watercourse modifications						
or seabed (wate							
management)	☐ Offshore structures (other than for oil/gas/renewables)						
	☐ Restructuring of seabed morphology, including dredging and depositing of materials						
Extraction of	☐ Extraction of minerals (rock, metal ores, gravel, sand, shell)						

non-living resources	☐ Extraction of oil and gas, including infrastructure				
resources	☐ Extraction of salt				
	☐ Extraction of water				
Production of energy	☐ Renewable energy generation (wind, wave and tidal power), including infrastructure				
	☐ Non-renewable energy generation				
	☐ Transmission of electricity and communications (cables)				
Extraction of	☐ Fish and shellfish harvesting (professional, recreational)				
living resources	☐ Fish and shellfish processing				
	☐ Marine plant harvesting				
	☐ Hunting and collecting for other purposes				
Cultivation of	☐ Aquaculture — marine, including infrastructure				
living resources	☐ Aquaculture — freshwater				
	☐ Agriculture				
	□ Forestry				
Transport	☐ Transport infrastructure				
	☐ Transport — shipping				
	☐ Transport — air				
	☐ Transport — land				
Urban and	☐ Urban uses				
industrial uses	☐ Industrial uses				
	☐ Waste treatment and disposal				
Tourism and	☐ Tourism and leisure infrastructure				
leisure	☐ Tourism and leisure activities				
Security/defence	☐ Military operations (subject to Article 2(2))				
Education and research	☐ Research, survey and educational activities				
c.2 Other legislation The sub-programme links with the following other international legislation (OtherPoliciesConventions). Tick one or more relevant boxes.					
☐ Bathing Water Di	☐ Bathing Water Directive				
□Common Fisheries Policy and Data Collection Framework					
⊠ Habitats Directiv	e				

☐ Birds Directive
□ Nitrates Directive
☐ Urban Waste Water Treatment Directive
⊠Water Framework Directive
□ OSPAR Convention
☐Trilateral Wadden Sea Convention
☑Other, Specify: INSPIRE Directive 2007/2/EC
c.3 Implementation of Regional Cooperation (RegionalCooperation_implementation) Indicate the level of implementation by selecting one of the following:
⊠No coordination
☐ Agreed data collection methods
☐Common monitoring strategy (spatial and temporal design of programme)
☐ Coordinated data collection (delivered separately by each country)
\Box Joint data collection (multinational delivery using same platform and/or algorithms)

c.4 Monitoring concepts

Monitoring concepts table²:

Current means of coordination	Features or elements Elements (Features) (Features_enum)	Parameter Parameters (Parameter) (ParametersOthe r)	Method MonitoringMethod (Monitoring Method) MonitoringMethodOthe r)	QA/QC (Free text)	Frequency ³ MonitoringFre	Spatial resolution (density) of sampling (ProgrammeDescription)	Link to HELCOM core indicators ⁴ (RelatedIndicator) (RelatedIndicator_n ame	Spatial scope (SpatialScope)	Monitorin g started (year) (TemporalSc ope)	CPs monitoring ⁵ (CountryCode_E num)
National	Bathymetry	Bathymetric depth	National	National	As needed	Entire sea area	Supporting parameter	EEZ		All HELCOM Contracting Parties
National	Topography and substrate	Physical feature of habitat (e.g. sediment characteriscs , topographic sturcture)	National	National	As needed	Entire sea area	Supporting parameter	EEZ		All HELCOM Contracting Parties
National	Temperature		National	National	Monthly	Station-based covering coastal and offshore waters and sub-basins	Supporting parameter	EEZ		All HELCOM Contracting Parties
National	Salinity	Salinity	National	National	Monthly	Station-based covering coastal and offshore waters and sub-basins	Supporting parameter	EEZ		All HELCOM Contracting Parties

² Needed codelists can be found on 2020 update of Article 11 for the Marine Strategy Framework Directive (MSFD Guidance Document 17, 2020).

³ The option "Different for each country - see MORE overview" refers to the <u>overview</u> carried out in 2013

⁴ Give the name of HELCOM core indicators that are based on the monitoring parameter.

⁵ Provide information on the Contracting Partie(s) that are monitoring the parameter.

PARAMETER
Element/Parameter pair
Bathymetry, topography and substrate
METHOD (MonitoringDetails)
Bathymetry, topography and substrate
Topography, substrate and bathymetry are surveyed regularly by authorities, and at least in Finland and Sweden, not considered as part of environmental monitoring. The information is used to support environmental monitoring and assessment activities.
QA/QC
Bathymetry, topography and substrate
National
FREQUENCY
Frequency
Bathymetry, topography and substrate
-
SPATIAL SCOPE
Spatial Scope
Bathymetry, topography and substrate
All sub-basins
SPATIAL RESOLUTION (DENSITY) OF SAMPLING
Spatial resolution
Bathymetry, topography and substrate
100% coverage
Provide considerations for the scale of aggregation of data for an indicator one or more relevant boxes below:
⊠HELCOM assessment unit Level 4: Subbasins with coastal WFD division
$\Box \mbox{HELCOM}$ assessment unit Level 3: Subbasins with coastal and offshore division
☐ HELCOM assessment unit Level 2: Subbasin

Baltic Sea		
essment requ	irements	
, salinity regime, tem	perature regime). This should be perio	odically
	•	
Yes	No	
	\boxtimes	
	\boxtimes	
_		
	mapping of the physical salinity regime, tem the baseline map the data and information and progress toward was access made available? Tick to a second salinity regime, tem the baseline map the data and information and progress toward was access.	mapping of the physical characteristics of the seabed (subsalinity regime, temperature regime). This should be period the baseline maps but also to notice changes. Contended the data and information to enable the periodic assessment and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress towards GES as required by MSFD under Articontended to the data and progress to the data

⊠Other:	National databases, ICES, INSPIRE	
If the previous ans	wer is "Other" please fill in the next questions (In case the answer is a HELCOM database,	
the HELCOM Secre	·	
Data type Tick th	ne relevant boxes below:	
⊠Unprocessed/rav	w Data	
⊠ Processed Data s	sets	
⊠ Data Products		
⊠Modelled data		
Data management	: General description of data management (DataManagement, Free text)	
what method/med provide location (D	chanism will be used to make the data available? Tick the relevant boxes below and ataAccess):	
\square Providing URL to view data:		
\square Providing URL to	o download data:	
\square Provide location	of data in national data centre: Click here to enter text.	
☑ Provide location of data in international data centre (e.g. RSC, ICES, EEA, EMODnet): INSPIRE: https://inspire.ec.europa.eu/Themes/Data-Specifications/2892		
When will the data	a first become available? (DataPublicationDate)	
Enter the date of re	eporting, or even a past date if desired (MM/YYYY):	
How frequently ar	e the data expected to be updated thereafter? Tick the relevant box below:	
□Every 6 years	□Weekly	
☐ Every 3 years	□Daily	
\square Every 2 years	□Hourly	
\square Yearly	☐ Continually	
\Box 6-monthly	□One-off	
\square 3-monthly	⊠As needed: Seabed mapping for topography and substrate are done more or	
\square Monthly	less continuously but the work is slow and it takes me to cover large sea areas.	
\square 2-weekly	☐ Other (specify)	
	□Unknown	

List providing contact points in the Contracting Parties

EE: Ministry of the Environment (Marine Environment Department)
Has the data been used or is it planned to be used in HELCOM assessments? Tick the relevant box below:
□Yes □No
Select if data is used in the following Baltic Sea Environment Fact Sheets (BSEF) Tick the relevant boxes below:
Biodiversity
\square Abundance and distribution of marenzelleria species
☐ Abundance and distribution of Round goby
\square Abundance and distribution of the Zebra mussel
☐ Biopollution level index
\square Observed non-indigenous and cryptogenic species in the Baltic Sea
\square Population development of Great Cormorant
☐ Population development of Sandwich Tern
\square Population development of Southern Dunlin
\square Population Development of White-tailed Sea Eagle
☐Temporal development of Baltic coastal fish communities and key species
Eutrophication
☐ Bacterioplankton growth
\Box Chlorophyll-a concentrations, temporal variations and regional differences from satellite remote sensing
☐ Cyanobacteria biomass
☐ Cyanobacterial blooms in the Baltic Sea
☐Cyanobacteria bloom index
\square Impacts of invasive phytoplankton species on the Baltic Sea ecosystem in 1980-2008
□Nitrogen atmospheric deposition to the Baltic Sea
□Nitrogen emissions to the air in the Baltic Sea area
☐ Phytoplankton biomass and species succession
☐ Shifts in the Baltic Sea summer phytoplankton communities in 1992-2006
\square Spatial distribution of the winter nutrient pool
□Unusual phytoplankton event
Hazardous substances

\square Atmospheric deposition of heavy metals on the Baltic Sea		
\square Atmospheric de	position of PCDD/Fs on the Baltic Sea	
☐Atmospheric em	nissions of heavy metals in the Baltic Sea region	
☐Atmospheric em	nissions of PCDD/Fs in the Baltic Sea region	
☐Cesium-137 in B	altic Sea sediments	
☐Temporal trends	in contaminants in Herring in the Baltic Sea in the period 1980-2010	
\square Emissions from	Baltic Sea shipping	
□Illegal discharge	s of oil in the Baltic Sea	
\square Liquid discharge	s of Cs-137, Sr-90 and Co-60 into the Baltic Sea	
☐Trace metal cond	centrations and trends in Baltic surface and deep waters	
Hydrography		
\square Development of	Sea Surface Temperature in the Baltic Sea	
☐ Hydrography and	d Oxygen in the Deep Basins	
\square Ice season		
\square Total and region	al runoff to the Baltic Sea	
□Water Exchange	between the Baltic Sea and the North Sea, and conditions in the Deep Basins	
☐ Wave climate in the Baltic Sea		
c.7 MSFD Cr	riteria (GES criteria)	
Choose only the m	ost relevant option(s). Tick one or more boxes below.	
Descriptor 1	□ D1C1 – Primary:	
	The mortality rate per species from incidental by-catch is below levels which threaten the species, such that its long- term viability is ensured.	
	Member States shall establish the threshold values for the mortality rate from incidental by-catch per species, through regional or subregional cooperation.	
	☐ D1C2 — Primary:	
	The population abundance of the species is not adversely affected due to anthropogenic pressures, such that its long-term viability is ensured.	
	Member States shall establish threshold values for each species through regional or subregional cooperation, taking account of natural variation in population size and the mortality rates derived from D1C1, D8C4 and D10C4 and other relevant pressures. For species covered by Directive 92/43/EEC, these values shall be consistent with the Favourable Reference Population values established by the relevant Member States under Directive 92/43/EEC.	
	\Box D1C3 – Primary for commercially- exploited fish and cephalopods and secondary for other species:	

	The population demographic characteristics (e.g. body size or age class structure, sex ratio, fecundity, and survival rates) of the species are indicative of a healthy population which is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for specified characteristics of each species through regional or subregional cooperation, taking account of adverse effects on their health derived from D8C2, D8C4 and other relevant pressures.
	\square D1C4 – Primary for species covered by Annexes II, IV or V to Directive 92/43/EEC and secondary for other species:
	The species distributional range and, where relevant, pattern is in line with prevailing physiographic, geographic and climatic conditions.
	Member States shall establish threshold values for each species through regional or subregional cooperation. For species covered by Directive 92/43/EEC, these shall be consistent with the Favourable Reference Range values established by the relevant Member States under Directive 92/43/EEC.
	$\hfill\Box$ D1C5 — Primary for species covered by Annexes II, IV and V to Directive 92/43/EEC and secondary for other species:
	The habitat for the species has the necessary extent and condition to support the different stages in the life history of the species.
	□ D1C6 – Primary
	The condition of the habitat type, including its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values for the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5 and 8, through regional or subregional cooperation.
Descriptor 2	□ D2C1 − Primary:
	The number of non-indigenous species which are newly introduced via human activity into the wild, per assessment period (6 years), measured from the reference year as reported for the initial assessment under Article 8(1) of Directive 2008/56/EC, is minimised and where possible reduced to zero.
	Member States shall establish the threshold value for the number of new introductions of non-indigenous species, through regional or subregional cooperation.
	□ D2C2 — Secondary:
	Abundance and spatial distribution of established non-indigenous species, particularly of invasive species, contributing significantly to adverse effects on particular species groups or broad habitat types.
	☐ D2C3 — Secondary:
	Proportion of the species group or spatial extent of the broad habitat type which is adversely altered due to non-indigenous species, particularly invasive non-indigenous species.
	Member States shall establish the threshold values for the adverse alteration to species

	groups and broad habitat types due to non-indigenous species, through regional or subregional cooperation.
Descriptor 3	□ D3C1 — Primary:
	The Fishing mortality rate of populations of commercially-exploited species is at or below levels which can produce the maximum sustainable yield (MSY). Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	□ D3C2 — Primary:
	The Spawning Stock Biomass of populations of commercially-exploited species are above biomass levels capable of producing maximum sustainable yield. Appropriate scientific bodies shall be consulted in accordance with Article 26 of Regulation (EU) No 1380/2013.
	□ D3C3 — Primary:
	The age and size distribution of individuals in the populations of commercially-exploited species is indicative of a healthy population. This shall include a high proportion of old/large individuals and limited adverse effects of exploitation on genetic diversity.
	Member States shall establish threshold values through regional or subregional cooperation for each population of species in accordance with scientific advice obtained pursuant to Article 26 of Regulation (EU) No 1380/2013.
Descriptor 4	□ D4C1 — Primary:
	The diversity (species composition and their relative abundance) of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C2 — Primary:
	The balance of total abundance between the trophic guilds is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	□ D4C3 — Secondary:
	The size distribution of individuals across the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
	\square D4C3 — Secondary (to be used in support of criterion D4C2, where necessary):
	Productivity of the trophic guild is not adversely affected due to anthropogenic pressures.
	Member States shall establish threshold values through regional or subregional cooperation.
Descriptor 5	□ D5C1 — Primary:

Nutrient concentrations are not at levels that indicate adverse eutrophication effects.
The threshold values are as follows:
(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation
□ D5C2 — Primary:
Chlorophyll a concentrations are not at levels that indicate adverse effects of nutrient enrichment.
The threshold values are as follows:
(c) in coastal waters, the values set in accordance with Directive 2000/60/EC;
(d) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
□ D5C3 — Secondary:
The number, spatial extent and duration of harmful algal bloom events are not at levels that indicate adverse effects of nutrient enrichment.
□ D5C4 — Secondary:
The photic limit (transparency) of the water column is not reduced, due to increases in suspended algae, to a level that indicates adverse effects of nutrient enrichment.
The threshold values are as follows:
(e) in coastal waters, the values set in accordance with Directive 2000/60/EC;
(f) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
\square D5C5 — Primary (may be substituted by D5C8):
The concentration of dissolved oxygen is not reduced, due to nutrient enrichment, to levels that indicate adverse effects on benthic habitats (including on associated biota and mobile species) or other eutrophication effects.
The threshold values are as follows:
(g) in coastal waters, the values set in accordance with Directive 2000/60/EC;
(h) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
□ D5C6 — Secondary:
The abundance of opportunistic macroalgae is not at levels that indicate adverse effects of nutrient enrichment.
The threshold values are as follows:
 (a) in coastal waters, the values set in accordance with Directive 2000/60/EC;

	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	□ D5C7 — Secondary:
	The species composition and relative abundance or depth distribution of macrophyte communities achieve values that indicate there is no adverse effect due to nutrient enrichment including via a decrease in water transparency, as follows:
	(a) in coastal waters, the values set in accordance with Directive 2000/60/EC;
	(b) should this criterion be relevant for waters beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
	\square D5C8 — Secondary: (except when used as a substitute for D5C5):
	The species composition and relative abundance of macrofaunal communities, achieve values that indicate that there is no adverse effect due to nutrient and organic enrichment, as follows:
	(a) in coastal waters, the values for benthic biological quality elements set in accordance with Directive 2000/60/EC;
	(b) beyond coastal waters, values consistent with those for coastal waters under Directive 2000/60/EC. Member States shall establish those values through regional or subregional cooperation.
Descriptor 6	☑ D6C1 – Primary:
	Spatial extent and distribution of physical loss (permanent change) of the natural seabed.
	☑ D6C2 – Primary:
	Spatial extent and distribution of physical disturbance pressures on the seabed.
	☑ D6C3 – Primary:
	Spatial extent of each habitat type which is adversely affected, through change in its biotic and abiotic structure and its functions (e.g. through changes in species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), by physical disturbance.
	Member States shall establish threshold values for the adverse effects of physical disturbance, through regional or subregional cooperation.
	☑ D6C4 – Primary:
	The extent of loss of the habitat type, resulting from anthropogenic pressures, does not exceed a specified proportion of the natural extent of the habitat type in the assessment area.
	Member States shall establish the maximum allowable extent of habitat loss as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities.
	□ D6C5 – Primary:

The extent of adverse effects from anthropogenic pressures on the condition of the habitat type, including alteration to its biotic and abiotic structure and its functions (e.g. its typical species composition and their relative abundance, absence of particularly sensitive or fragile species or species providing a key function, size structure of species), does not exceed a specified proportion of the natural extent of the habitat type in the assessment area. Member States shall establish threshold values for adverse effects on the condition of each habitat type, ensuring compatibility with related values set under Descriptors 2, 5, 6, 7 and 8, through cooperation at Union level, taking into account regional or subregional specificities. Member States shall establish the maximum allowable extent of those adverse effects as a proportion of the total natural extent of the habitat type, through cooperation at Union level, taking into account regional or subregional specificities. □ D7C1 – Secondary: Descriptor 7 Spatial extent and distribution of permanent alteration of hydrographical conditions (e.g. changes in wave action, currents, salinity, temperature) to the seabed and water column, associated in particular with physical loss(1) of the natural seabed. \boxtimes D7C2 – Secondary: Spatial extent of each benthic habitat type adversely affected (physical and hydrographical characteristics and associated biological communities) due to permanent alteration of hydrographical conditions. **Descriptor 8** \square D8C1 – Primary: Within coastal and territorial waters, the concentrations of contaminants do not exceed the following threshold values: (a) for contaminants set out under point 1(a) of criteria elements, the values set in accordance with Directive 2000/60/EC; (b) when contaminants under point (a) are measured in a matrix for which no value is set under Directive 2000/60/EC, the concentration of those contaminants in that matrix established by Member States through regional or subregional cooperation; (c) for additional contaminants selected under point 1(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation, considering their application within and beyond coastal and territorial waters. Beyond territorial waters, the concentrations of contaminants do not exceed the following threshold values: (a) for contaminants selected under point 2(a) of criteria elements, the values as applicable within coastal and territorial waters; (b) for contaminants selected under point 2(b) of criteria elements, the concentrations for a specified matrix (water, sediment or biota) which may give rise to pollution effects. Member States shall establish these concentrations through regional or subregional cooperation.

	□ D8C2 – Secondary:
	The health of species and the condition of habitats (such as their species composition and relative abundance at locations of chronic pollution) are not adversely affected due to contaminants including cumulative and synergetic effects.
	Member States shall establish those adverse effects and their threshold values through regional or subregional cooperation.
	□ D8C3 – Primary:
	The spatial extent and duration of significant acute pollution events are minimised.
	\square D8C4 – Secondary (to be used when a significant acute pollution event has occurred):
	The adverse effects of significant acute pollution events on the health of species and on the condition of habitats (such as their species composition and relative abundance) are minimised and, where possible, eliminated.
Descriptor 9	□ D9C1 – Primary:
	The level of contaminants in edible tissues (muscle, liver, roe, flesh or other soft parts, as appropriate) of seafood (including fish, crustaceans, molluscs, echinoderms, seaweed and other marine plants) caught or harvested in the wild (excluding fin-fish from mariculture) does not exceed:
	(a) for contaminants listed in Regulation (EC) No 1881/2006, the maximum levels laid down in that Regulation, which are the threshold values for the purposes of this Decision;
	(b) for additional contaminants, not listed in Regulation (EC) No 1881/2006, threshold values, which Member States shall establish through regional or subregional cooperation.

Descriptor 10	□ D10C1 – Primary:
	The composition, amount and spatial distribution of litter on the coastline, in the surface layer of the water column, and on the seabed, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C2 — Primary:
	The composition, amount and spatial distribution of micro-litter on the coastline, in the surface layer of the water column, and in seabed sediment, are at levels that do not cause harm to the coastal and marine environment.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D10C3 — Secondary:
	The amount of litter and micro-litter ingested by marine animals is at a level that does not adversely affect the health of the species concerned. Member States shall establish threshold values for these levels through regional or subregional cooperation.
	□ D10C4 — Secondary:
	The number of individuals of each species which are adversely affected due to litter, such as by entanglement, other types of injury or mortality, or health effects. Member States shall establish threshold values for the adverse effects of litter, through regional or subregional cooperation.
Descriptor 11	□ D11C1 – Primary:
	The spatial distribution, temporal extent, and levels of anthropogenic impulsive sound sources do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.
	□ D11C2 – Primary:
	The spatial distribution, temporal extent and levels of anthropogenic continuous low-frequency sound do not exceed levels that adversely affect populations of marine animals.
	Member States shall establish threshold values for these levels through cooperation at Union level, taking into account regional or subregional specificities.

d. References

Make a list of cited references and literature for further supportive information.